



Customer: Danodan Hemp Works
Product identity: SHOT-10-08
Client/Metric ID: .
Laboratory ID: 19-015773-0003

Summary

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile†	< LOQ for all analytes		

Microbiology:

Less than LOQ for all analytes.



Customer: Danodan Hemp Works
6019 NE MLK Jr Blvd
Portland Oregon 97211
United States

Product identity: SHOT-10-08

Client/Metric ID: .

Sample Date:

Laboratory ID: 19-015773-0003

Relinquished by: Danondan Hemp Works - see C

Temp: 19.3 °C

Sample Results

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	1911719	12/29/19	AOAC 2014.05 (RAPID)	X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	1911719	12/29/19	AOAC 2014.05 (RAPID)	X

Pesticides								
Analyte	Result	Limits	Status	Notes				
Multi-Residue Pesticide Profile†	< LOQ for all analytes							



These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager



PIXIS Labs
Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Abamectin	0.100	CIPC	1.000	Endrin	0.100
Acephate	0.100	Clethodim	0.050	EPN	0.050
Acequinocyl	0.100	Clethodim Sulfone	0.050	EPTC	0.100
Acetamiprid	0.020	Clethodim Sulfoxide	0.050	Esfenvalerate/Fenvalerate	0.200
Acetochlor	0.100	Clofentezine	0.020	Etaconazole	0.100
Acrinathrin	0.100	Clomazone	0.020	Ethalfuralin	0.100
Alachlor	0.100	Clothianidin	0.200	Ethiofencarb	0.050
Aldicarb	0.100	Coumaphos	0.050	Ethion	0.200
Aldicarb sulfoxide	0.100	Crotoxyphos	0.020	Ethirimol	0.100
Aldoxycarb (Aldicarb-sulfone)	0.100	Cyanazine	0.020	Ethofumesate	0.050
Aldrin	0.100	Cyanofenphos	0.020	Ethoprophos	0.020
Ametocrtadin	0.020	Cyantraniliprole	0.050	Etofenprox	0.020
Ametryn	0.500	Cyazofamid	0.020	Etoxazole	0.020
Aspon	0.100	Cycloate	0.100	Etridiazole	0.100
Asulam	0.100	Cyfluthrin	0.200	Etrimfos	0.020
Atrazine	0.100	Cyhalothrin, lambda	0.200	Famoxadone	0.200
Atrazine-desethyl	0.100	Cymoxanil	0.050	Famphur	0.100
Azinphos-ethyl	0.020	Cypermethrin	0.200	Fenamidone	0.020
Azinphos-methyl	0.020	Cyprodinil	0.100	Fenamiphos	0.020
Azoxystrobin	0.020	Dacthal	0.100	Fenamiphos sulfone	0.020
Benalaxyl	0.020	Daminozide	0.100	Fenamiphos sulfoxide	0.020
Bendiocarb	0.020	DCPMU	0.050	Fenazaquin	0.100
Benfluralin	0.100	DDD, o,p'	0.100	Fenbuconazole	0.100
Benoxacor	0.050	DDD, p,p'	0.100	Fenchlorphos	0.100
Bensulide	0.050	DDE, o,p'	0.100	Fenchlorphos-oxon	0.100
BHC alpha isomer	0.100	DDE, p,p'	0.100	Fenhexamid	0.100
BHC beta isomer	0.100	DDT, o,p'	0.100	Fenitrothion	0.100
BHC delta isomer	0.500	DDT, p,p'	0.100	Fenobucarb	0.050
Bifenazate	0.020	DEF (Tribufos)	0.100	Fenoxycarb	0.020
Bifenthrin	0.020	Deltamethrin	0.100	Fenpropathrin	0.050
Boscalid	0.020	Desmedipham	0.100	Fenpyroximate	0.020
Bromophos-ethyl	0.100	Diallate	0.100	Fenson	0.100
Bromophos-methyl	0.200	Diazinon	0.020	Fensulfthion	0.020
Bromopropylate	0.100	Diazoxon	0.100	Fensulfthion oxon	0.020
Bromuconazole	0.100	Dichlobenil	0.100	Fensulfthion sulfone	0.100
Bupirimate	0.020	Dichlofluanid	0.100	Fensulfthion-oxon-sulfone	0.020
Buprofezin	0.050	Dichlorvos	0.100	Fenthion	0.050
Butachlor	0.500	Diclobutrazol	0.050	Fenthion oxon	0.020
Butralin	0.200	Dicofol	0.100	Fenthion oxon sulfone	0.100
Butylate	0.100	Dicrotophos	0.050	Fenthion oxon sulfoxide	0.020
Cadusafos	0.020	Dieldrin	0.100	Fenthion sulfoxide	0.100
Captan	1.000	Diethofencarb	0.020	Fenthion sulfone	0.050
Carbaryl	0.050	Diethyltoluamide (DEET)	0.050	Fenuron	0.020
Carbendazim	0.100	Difenoconazole	0.100	Fipronil	0.100
Carbofuran	0.020	Dimethenamid	0.050	Fonicamid	0.100
Carbophenothion	0.100	Dimethoate	0.050	Fluchloralin	0.100
Carboxin	0.020	Dimethomorph	0.020	Flucythrinate	0.100
Carfentrazone-ethyl	0.100	Diniconazole	0.200	Fludioxonil	0.200
Chlorantraniliprole	0.020	Dinotefuran	0.200	Flufenacet	0.020
Chlordane, cis-	0.200	Dioxathion	0.100	Flumioxazin	0.100
Chlordane, trans-	0.200	Diphenamid	0.020	Fluometuron	0.020
Chlorfenapyr	0.500	Diphenylamine	0.100	Fluopicolide	0.050
Chlorfenson	0.200	Disulfoton	0.100	Fluopyram	0.020
Chlorfenvinphos	0.050	Disulfoton sulfone	0.100	Fluoxastrobin	0.050
Chlorobenzilate	0.100	Disulfoton sulfoxide	0.100	Flupyradifurone	0.020
Chloroneb	0.200	Diuron	0.050	Fluridone	0.100
Chlorpyrifos	0.050	Edifenphos	0.050	Flusilazole	0.020
Chlorpyrifos-methyl	0.200	Endosulfan alpha	0.200	Flutolanil	0.020
		Endosulfan beta	0.200	Flutriafol	0.020
		Endosulfan sulfate	0.100	Fluvalinate, tau-	0.100
				Fluxapyroxad	0.020



PIXIS Labs
Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Fomesafen	0.100	Mexacarbate	0.020	Propamocarb	0.050
Fonofos	0.100	MGK 264	0.020	Propanil	0.050
Forchlorfenuron	0.050	Mirex	0.100	Propargite	0.050
Formetanate	0.050	Molinate	0.050	Propazine	0.020
Furathiocarb	0.020	Monocrotophos	0.100	Propetamphos	0.050
Heptachlor	0.100	Monolinuron	0.020	Propham	0.050
Heptachlor epoxide	0.100	Myclobutanil	0.050	Propiconazole	0.050
Heptenophos	0.100	Naled	0.100	Propoxur	0.050
Hexachlorobenzene	0.100	Napropamide	0.050	Propoxycarbazone Na	0.050
Hexaconazole	0.100	Neburon	0.020	Propyzamide	0.050
Hexazinone	0.100	Nitrapyrin	0.100	Prothiofos	0.100
Hexythiazox	0.020	Norflurazon	0.050	Pyraclostrobin	0.020
Imazalil	0.100	Omethoate	0.100	Pyrazophos	0.050
Imidacloprid	0.100	O-Phenylphenol	0.100	Pyrethrins	0.050
Indaziflam	0.020	Oxadixyl	0.100	Pyridaben	0.020
Indoxacarb	0.020	Oxamyl	0.100	Pyridafol	0.100
Iprobenfos	0.100	Oxamyl-oxime	0.100	Pyridate	0.020
Iprodione	0.100	Oxychlorane	0.100	Pyrimethanil	0.050
Isobenzan	0.100	Oxydemeton-Methyl	0.100	Pyriproxifen	0.020
Isocarbophos	0.500	Oxythioquinox	0.200	Pyroxasulfone	0.020
Isodrin	0.100	Pacllobutrazol	0.050	Pyroxulam	0.020
Isufenphos	0.050	Paraoxon-ethyl	0.020	Quinalphos	0.050
Isufenphos-methyl	0.020	Paraoxon methyl	0.100	Quinoxifen	0.050
Isufenphos oxon	0.050	Parathion ethyl	0.100	Quintozene (PCNB)	0.200
Isoprocarb	0.020	Parathion methyl	0.200	Resmethrin	0.050
Isopropalin	0.200	Penconazole	0.050	Rotenone	0.050
Isoprothiolane	0.050	Pendimethalin	0.050	S421	0.100
Isoproturon	0.050	Penflufen	0.020	Simazine	0.100
Isoxaben	0.050	Pentachloroaniline	0.100	Simetryn	0.200
Isoxaflutole	0.050	Pentachloroanisole	0.100	Spinetoram	0.020
Kresoxim-methyl	0.050	Pentachlorobenzene (PCB)	0.100	Spinosad	0.050
Lactofen	0.500	Pentachlorothioanisole (PCTA)	0.100	Spirodiclofen	0.100
Lenacil	0.100	Penthiopyrad	0.020	Spiromesifen	0.050
Lindane (gamma BHC)	0.100	Permethrin	0.050	Spirotetramat	0.050
Linuron	0.020	Perthane	0.100	Spiroxamine	0.020
Malaonox	0.050	Phenmedipham	0.050	Sulfotep	0.050
Malathion	0.050	Phenthoate	0.050	Sulfoxaflor	0.050
Mandipropamid	0.020	Phorate	0.050	Sulprofos	0.020
Mecarbam	0.020	Phorate Sulfone	0.050	Tebuconazole	0.100
Mepanipyrim	0.050	Phorate Sulfoxide	0.050	Tebufenozide	0.020
Merphos	0.500	Phosalone	0.050	Tebuthiuron	0.020
Metalaxyl	0.050	Phosmet	0.100	Tecnazene	0.100
Metaldehyde	0.050	Phosphamidon	0.050	Tefluthrin	0.100
Metconazole	0.100	Phoxim	0.050	Terbufos	0.020
Methacrifos	0.100	Pinoxaden	0.020	Terbufos sulfone	0.050
Methamidophos	0.050	Piperonyl butoxide	0.050	Terbufos sulfoxide	0.050
Methidathion	0.050	Pirimicarb	0.020	Terbuthylazine	0.020
Methiocarb	0.050	Pirimiphos-methyl	0.050	Terbutryn	0.020
Methiocarb sulfone	0.100	Pirimiphos-ethyl	0.020	Tetrachlorvinphos	0.050
Methiocarb sulfoxide	0.100	Prallethrin	0.100	Tetraconazole	0.050
Methomyl	0.100	Prochloraz	0.020	Tetradifon	0.200
Methoxychlor	0.100	Procymidone	0.100	Tetramethrin	0.050
Methoxyfenozide	0.020	Profenofos	0.100	Tetrasul	0.100
Metobromuron	0.050	Profluralin	0.100	Thiabendazole	0.100
Metolachlor	0.100	Promecarb	0.050	Thiabendazole, 5-hydroxy	0.100
Metolcarb	0.050	Prometon	0.100	Thiacloprid	0.050
Metrafenone	0.050	Prometryn	0.020	Thiamethoxam	0.100
Metribuzin	0.100	Propachlor	0.020	Thiobencarb	0.050
Mevinphos	0.100			Thiodicarb	0.050
				Thiophanate-methyl	0.050



PIXIS Labs
Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Tolclofos-methyl	0.100	Triazophos	0.020	Trifloxystrobin	0.020
Triforin	0.100	Tolyfluanid	0.050	Triticonazole	0.050
Tralkoxydim	0.100	Tridiphane	0.500	Vinclozolin	0.100
Triadimefon	0.050	Triflumizole	0.020	Zoxamide	0.020
Triallate	0.100	Trifluralin	0.100		

LOQ = Limit of Quantitation, mg/kg

Factors affecting the LOQ include instrumentation sensitivity for a particular analyte, sample size, moisture content (percent solids) of the sample, effectiveness of the cleanup on the sample extract, and especially the type of sample matrix.



12423 NE Whitaker Way Portland OR 97230

DANODAN 19-015773



Chain of Custody Record

ORELAP ID: OR100028

Company: Danodan Hempworks
Contact: Steven Sands
Address: 6019 NE MLK JR. BLVD
City, State, Zip: Portland 97211
Email: Steve@Danodan.com
Phone: 508 367 0896 Fax:
Billing (if dif.)
Processor's License:

Danodan Hemp Works

Analysis Requested

Purchase Order Number:
Project Number:
Project Name:
 Report Instructions:
 Send to State - METRC
 Email Final Results:
 Fax Final Results
 Cash/Check/CC/Net 30
Other: with 016867

Client Sample Identification	Date/Time Collected	Pesticides - OR 59 compounds	Pesticide Multi-Residue - 379 compou	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E. Coli and Total Coliform	Heavy Metals	Mycotoxins	Other: <u>APC</u>	Sample Type	Weight	Serving size for edibles	Comments/Metric ID
<u>1 TB-19</u>									X	X	X		X	<u>edible</u>			
<u>2 SHOT-10-07</u>			X						X	X	X		X				
<u>3 SHOT-10-08</u>			X						X	X	X		X				
<u>4 SHOT-15-11</u>									X	X	X		X				
<u>5 SHOT-15-12</u>									X	X	X		X				

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
Turnaround time: Ask for availability <input type="checkbox"/> Standard (5 day) <input type="checkbox"/> Rush (3-4 day) (1.5x Standard) <input type="checkbox"/> Priority Rush (2 day) (2x Standard)	<u>[Signature]</u>	<u>12/27/19</u>	<u>11:40</u>	<u>[Signature]</u>	<u>12/27/19</u>	<u>11:40</u>	Client Alias: <u>Danodan</u> Order Number: <u>19-015773</u> Proper Container Sample Condition: <u>19.3°C</u> Temperature: Shipped Via: <u>Overnight</u> Evidence of cooling: <input checked="" type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 3.00 Control#: CF023 www.pixislabs.com
Effective 05/22/2019 Revised 05/22/2019 www.columbiafoodlab.com

Page 1 of 21
HC
12/27/19

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.