

TB-17

Danodan Hempworks

(503) 290-4079

Sample Type: Other
 Sample Date: 10/7/2019
 Analysis Date: 10/9/2019
 Report Date: 10/14/2019

Metric Batch ID:

Metric Sample ID:

Harvest/Process Date: 10/4/2019

Report ID:

LS-191014-8

Potency

Potency Analysis Date: 10/9/2019
 Potency Batch ID: CAN_100919D, CAN_100919C
 Potency Method: JAOAC 2015.1

2.61 mg/mL Total CBD
 0.233%



<LOQ Total THC
 <LOQ




Samples: PSJ-DXM-WBZ, TGW-CTP-WZH, XCB-FZF-CXW, SDC-DRZ-GTR, SXJ-FND-WSC, DBG-JSN-RSD, ZZT-FCZ-ZZB, NHP-JHM-MMX, XMJ-XCW-WZC, RRJ-XCB-RSR, NRD-TPN-RTT, SZG-THR-GMJ, TMZ-TBP-BRF, JBC-RXC-CBX, NFG-ZSP-PPJ, TFX-RCF-WCZ, WPB-BWB-GRW, GRT-GJB-WFS, XTG-NNN-GFM, HNH-RDJ-BHD, BRS-JWS-FXW, FPT-SXC-JRS, TTZ-CNM-PDF, JUX-WCC-CBC, FTR-BTD-BHP, SBM-MNG-SSJ, SGS-WDB-XCT, XTB-FDW-PHP, RRW-XWM-PXF, NTS-MGT-FDF, SCP-HPS-PJZ, XGW-TSH-XPX (Density = 1.12 g/mL)

Analyte	Description	LOQ	RSD (%)	Min.	Max.	Avg.	Unit: mg/mL
Δ9THC	Delta-9 Tetrahydrocannabinol	0.29	0.00	<LOQ	<LOQ	<LOQ	
THCA	Tetrahydrocannabinolic acid	0.29	0.00	ND	ND	ND	
CBD	Cannabidiol	0.29	1.92	2.49	2.70	2.61	
CBDA	Cannabidiolic acid	0.29	0.00	<LOQ	<LOQ	<LOQ	
Δ8THC	Delta-8 Tetrahydrocannabinol*	0.29	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	0.29	0.00	ND	ND	ND	
CBG	Cannabigerol*	0.29	0.00	ND	<LOQ	<LOQ	
CBGA	Cannabigerolic acid*	0.29	0.00	ND	ND	ND	
CBC	Cannabichromene*	0.29	0.00	<LOQ	<LOQ	<LOQ	
CBCA	Cannabichromenic acid*	0.29	0.00	ND	ND	ND	
CBN	Cannabinol	0.29	0.00	ND	ND	ND	
Total THC	Δ9THC + (THCA × 0.877)		0.00	<LOQ	<LOQ	<LOQ	
Total CBD	CBD + (CBDA × 0.877)		1.92	2.49	2.70	2.61	
Total			1.92	2.49	2.70	2.61	

Compliance

Pesticides	Within limits	Analysis Date: 10/9/2019	Pass 
Potency	Within limits	Analysis Date: 10/9/2019	Pass 


 Bryce Kidd, Ph.D.
 Lab Director


 Aaron Troyer
 Chief Science Officer



TB-17

Danodan Hempworks

(503) 290-4079

Sample Type: Other
 Sample Date: 10/7/2019
 Analysis Date: 10/9/2019
 Report Date: 10/14/2019

Metric Batch ID:
 1
 Metric Sample ID:

Harvest/Process Date: 10/4/2019

Report ID:

LS-191014-8



Pesticides Sample Data

Pesticides Analysis Date: 10/9/2019

Method: EN 15662

Pass 

Pesticides Batch ID: PST_101119A, PST_101019A, Unit: µg/g (ppm)
 PST_100919B

Analyte	Min.	Max.	Avg.	Limits	LOQ	Notes	Status	Analyte	Min.	Max.	Avg.	Limits	LOQ	Notes	Status
Abamectin	ND	ND	ND	0.5	0.1		Pass	Metalaxyl	ND	ND	ND	0.2	0.1		Pass
Acephate	ND	ND	ND	0.4	0.1		Pass	Methiocarb	ND	ND	ND	0.2	0.1		Pass
Acequinocyl	ND	ND	ND	2.0	1.5		Pass	Methomyl	ND	ND	ND	0.4	0.1		Pass
Acetamiprid	ND	ND	ND	0.2	0.1		Pass	Methyl Parathion	ND	ND	ND	0.2	0.2		Pass
Aldicarb	ND	ND	ND	0.4	0.1		Pass	MGK-264	ND	ND	ND	0.2	0.2		Pass
Azoxystrobin	ND	ND	ND	0.2	0.1		Pass	Myclobutanil	ND	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	ND	0.2	0.1		Pass	Naled	ND	ND	ND	0.5	0.2		Pass
Bifenthrin	ND	ND	ND	0.2	0.1		Pass	Oxamyl	ND	ND	ND	1.0	0.1		Pass
Boscalid	ND	ND	ND	0.4	0.1		Pass	Paclobutrazol	ND	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	ND	0.2	0.1		Pass	Permethrins	ND	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	ND	0.2	0.1		Pass	Phosmet	ND	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	ND	0.2	0.1		Pass	Piperonyl Butoxide	ND	ND	ND	2.0	0.1		Pass
Chlorfenapyr	ND	ND	ND	1.0	0.1		Pass	Prallethrin	ND	ND	ND	0.2	0.1		Pass
Chlorpyrifos	ND	ND	ND	0.2	0.1		Pass	Propiconazole	ND	ND	ND	0.4	0.1		Pass
Clofentezine	ND	ND	ND	0.2	0.1		Pass	Propoxur	ND	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	ND	1.0	0.5		Pass	Pyrethrins	ND	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	ND	1.0	0.1		Pass	Pyridaben	ND	ND	ND	0.2	0.1		Pass
Daminozide	ND	ND	ND	1.0	0.5		Pass	Spinosad	ND	ND	ND	0.2	0.1		Pass
Diazinon	ND	ND	ND	0.2	0.1		Pass	Spiromesifen	ND	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	ND	1.0	0.5		Pass	Spirotetramat	ND	ND	ND	0.2	0.1		Pass
Dimethoate	ND	ND	ND	0.2	0.1		Pass	Spiroxamine	ND	ND	ND	0.4	0.1		Pass
Ethoprophos	ND	ND	ND	0.2	0.1		Pass	Tebuconazole	ND	ND	ND	0.4	0.1		Pass
Etofenprox	ND	ND	ND	0.4	0.1		Pass	Thiacloprid	ND	ND	ND	0.2	0.1		Pass
Etoxazole	ND	ND	ND	0.2	0.1		Pass	Thiamethoxam	ND	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	ND	0.2	0.1		Pass	Trifloxystrobin	ND	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	ND	0.4	0.1		Pass								
Fipronil	ND	ND	ND	0.4	0.1		Pass								
Flonicamid	ND	ND	ND	1.0	0.1		Pass								
Fludioxonil	ND	ND	ND	0.4	0.1		Pass								
Hexythiazox	ND	ND	ND	1.0	0.1		Pass								
Imazalil	ND	ND	ND	0.2	0.1		Pass								
Imidacloprid	ND	ND	ND	0.4	0.1		Pass								
Kresoxim-methyl	ND	ND	ND	0.4	0.1		Pass								
Malathion	ND	ND	ND	0.2	0.1		Pass								

Samples: PSJ-DXM-WBZ, TGW-CTP-WZH, XCB-FZF-CXW, SDC-DRZ-GTR, SXJ-FND-WSC, DBG-JSN-RSD, ZZT-FCZ-ZZB, NHP-JHM-MMX, XMJ-XCW-WZC, RRJ-XCB-RSR, NRD-TPN-RTT, SZG-THR-GMJ, TMZ-TBP-BRF, JBC-RXC-CBX, NFG-ZSP-PPJ, TFX-RCF-WCZ, WPB-BWB-GRW, GRT-GJB-WFS, XTG-NNN-GFM, HNH-RDJ-BHD, BRS-JWS-FXW, FPT-SXC-JRS, TTZ-CNM-PDF, JJX-WCC-CBC, FTR-BTD-BHP, SBM-MNG-SSJ, SGS-WDB-XCT, XTB-FDW-PHP, RRW-XWM-PXF, NTS-MGT-FDF, SCP-HPS-PJZ, XGW-TSH-PXF

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-007. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.

TB-17

Danodan Hempworks

(503) 290-4079

Sample Type: Other
 Sample Date: 10/7/2019
 Analysis Date: 10/9/2019
 Report Date: 10/14/2019

Metric Batch ID:
 1
 Metric Sample ID:

Harvest/Process Date: 10/4/2019

Report ID:

LS-191014-8

Pesticides Quality Control Data

Pesticides QC Analysis Date: 10/9/2019
 Pesticides QC Batch ID: PST_101119A,
 PST_101019A, PST_100919B

Method: EN 15662
 Unit: µg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes	Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	1.05	1.00	105	50 - 150		Metalaxyl	ND	0.1	1.05	1.00	105	50 - 150	
Acephate	ND	0.1	0.667	1.00	66.7	50 - 150		Methiocarb	ND	0.1	1.23	1.00	123	50 - 150	
Acequinocyl	ND	1.5	0.607	1.00	60.7	50 - 150		Methomyl	ND	0.1	1.39	1.00	139	50 - 150	
Acetamiprid	ND	0.1	0.970	1.00	97.0	50 - 150		Methyl Parathion	ND	0.2	0.472	1.00	47.2	30 - 150	
Aldicarb	ND	0.1	1.04	1.00	104	50 - 150		MGK-264	ND	0.2	0.418	0.600	69.7	50 - 150	
Azoxystrobin	ND	0.1	1.04	1.00	104	50 - 150		Myclobutanil	ND	0.1	1.15	1.00	115	50 - 150	
Bifenazate	ND	0.1	0.918	1.00	91.8	50 - 150		Naled	ND	0.2	0.798	1.00	79.8	50 - 150	
Bifenthrin	ND	0.1	1.07	1.00	107	50 - 150		Oxamyl	ND	0.1	0.916	1.00	91.6	50 - 150	
Boscalid	ND	0.1	0.995	1.00	99.5	50 - 150		Paclobutrazol	ND	0.1	0.778	1.00	77.8	50 - 150	
Carbaryl	ND	0.1	1.07	1.00	107	50 - 150		Permethrins	ND	0.1	1.29	1.00	129	50 - 150	
Carbofuran	ND	0.1	0.966	1.00	96.6	50 - 150		Phosmet	ND	0.1	1.09	1.00	109	50 - 150	
Chlorantraniliprole	ND	0.1	1.10	1.00	110	50 - 150		Piperonyl Butoxide	ND	0.1	1.50	1.00	150	50 - 150	
Chlorfenapyr	ND	0.1	1.16	1.00	116	50 - 150		Prallethrin	ND	0.1	1.07	1.00	107	50 - 150	
Chlorpyrifos	ND	0.1	0.978	1.00	97.8	50 - 150		Propiconazole	ND	0.1	0.992	1.00	99.2	50 - 150	
Clofentezine	ND	0.1	1.06	1.00	106	50 - 150		Propoxur	ND	0.1	0.994	1.00	99.4	50 - 150	
Cyfluthrin	ND	0.5	1.37	1.00	137	50 - 150		Pyrethrins	ND	0.5	1.05	1.00	105	50 - 150	
Cypermethrin	ND	0.1	1.07	1.00	107	50 - 150		Pyridaben	ND	0.1	1.01	1.00	101	50 - 150	
Daminozide	ND	0.5	0.919	1.00	91.9	10 - 150		Spinosad	ND	0.1	0.823	1.00	82.3	50 - 150	
Diazinon	ND	0.1	1.01	1.00	101	50 - 150		Spiromesifen	ND	0.1	0.957	1.00	95.7	50 - 150	
Dichlorvos (DDVP)	ND	0.5	0.925	1.00	92.5	50 - 150		Spirotetramat	ND	0.1	1.18	1.00	118	50 - 150	
Dimethoate	ND	0.1	0.924	1.00	92.4	50 - 150		Spiroxamine	ND	0.1	1.69	1.00	169	50 - 150	HB
Ethoprophos	ND	0.1	1.24	1.00	124	50 - 150		Tebuconazole	ND	0.1	0.936	1.00	93.6	50 - 150	
Etofenprox	ND	0.1	1.00	1.00	100	50 - 150		Thiacloprid	ND	0.1	1.02	1.00	102	50 - 150	
Etoxazole	ND	0.1	0.908	1.00	90.8	50 - 150		Thiamethoxam	ND	0.1	0.909	1.00	90.9	50 - 150	
Fenoxycarb	ND	0.1	1.07	1.00	107	50 - 150		Trifloxystrobin	ND	0.1	1.06	1.00	106	50 - 150	
Fenpyroximate	ND	0.1	1.30	1.00	130	50 - 150									
Fipronil	ND	0.1	0.890	1.00	89.0	50 - 150									
Flonicamid	ND	0.1	0.827	1.00	82.7	50 - 150									
Fludioxonil	ND	0.1	1.09	1.00	109	50 - 150									
Hexythiazox	ND	0.1	0.929	1.00	92.9	50 - 150									
Imazalil	ND	0.1	0.909	1.00	90.9	50 - 150									
Imidacloprid	ND	0.1	0.896	1.00	89.6	50 - 150									
Kresoxim-methyl	ND	0.1	1.03	1.00	103	50 - 150									
Malathion	ND	0.1	1.01	1.00	101	50 - 150									

TB-17

Danodan Hempworks

(503) 290-4079

Sample Type: Other
Sample Date: 10/7/2019
Analysis Date: 10/9/2019
Report Date: 10/14/2019Metric Batch ID:
1
Metric Sample ID:

Harvest/Process Date: 10/4/2019

Report ID:

LS-191014-8

Qualifier Flag Descriptions

J	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
U	The analyte was not detected in the sample at the estimated detection limit (EDL)
E	Exceeds calibration range
D	Dilution data - result was obtained from the analysis of a dilution
B	Analyte found in sample and associated blank
C	Co-eluting compound
R	Relative Percent Difference (RPD) outside control limits
NR	Analyte not reported because of problems in sample preparation or analysis
ND	Non-Detect
X	Results from reinjection/repeat/re-column data
EMC	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
M	Manual integration
PS	Peaks split
HB	Control acceptance criteria are exceeded high and the associated sample is below the detection limit
LB	Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
ME	Marginal Exceedance
LR	Low Recovery Analyte
LOQ	Limit of Quantitation