

info@lightscale.com ORELAP #4112 OLCC #010-1003340D344



Danodan Hempworks

(503) 290-4079

Sample Type: Tinctures Sample Date: 12/2/2019 Analysis Date: 12/3/2019 Report Date: 12/9/2019

Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 11/25/2019 Report ID: LS-191204-28

Potency

Potency Analysis Date: 12/3/2019 Potency Batch ID: CAN_120319C Potency Method: JAOAC 2015.1





Samples: ZJH-PDF-PFD, TTT-GNB-SHT Density = 1.09 g/mL

Analyte	Description	LOQ	RPD (%)	Min.	Max.	Avg.	
Δ9THC	Delta-9 Tetrahydrocannabinol	0.28	5.05	0.947	0.996	0.972	-
THCA	Tetrahydrocannabinolic acid	0.28	0.00	ND	ND	ND	
CBD	Cannabidiol	0.28	0.534	16.1	16.2	16.1	_
CBDA	Cannabidiolic acid	0.28	4.24	0.352	0.367	0.360	•
∆8THC	Delta-8 Tetrahydrocannabinol*	0.28	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	0.28	0.00	ND	ND	ND	
CBG	Cannabigerol*	0.28	0.493	0.441	0.444	0.443	-
CBGA	Cannabigerolic acid*	0.28	0.00	ND	ND	ND	
CBC	Cannabichromene*	0.28	4.72	0.586	0.615	0.601	-
CBCA	Cannabichromenic acid*	0.28	0.00	ND	ND	ND	
CBN	Cannabinol	0.28	0.00	<l0q< td=""><td><l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<></td></l0q<>	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
Total THC	Δ9THC + (THCA × 0.877)		5.05	0.947	0.996	0.972	-
Total CBD	CBD + (CBDA × 0.877)		0.605	16.4	16.5	16.5	
Total			0.977	18.4	18.6	18.5	

Compliance

Pesticides	Within limits	Analysis Date: 12/3/2019	Pass ⊘
Solvents	Within limits	Analysis Date: 12/3/2019	Pass ⊘
Potency	Within limits	Analysis Date: 12/3/2019	Pass ⊘

Hure Actor Bryce Kidd/Ph.D. Lab Director

Aaron Troyer

Chief Science Officer



S - 1 9 1 2 0 4 - 2 8

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



Sample Type: Tinctures

Sample Date: 12/2/2019

Analysis Date: 12/3/2019

Report Date: 12/9/2019

Shot-15-12

Danodan Hempworks

(503) 290-4079

Pesticides U

Sample Data

Analyte	ZJH-PDF-PFD	TTT-GNB-SHT	Limits	LOQ	Notes	Status
Abamectin	ND	ND	0.5	0.1		Pass
Acephate	ND	ND	0.4	0.1		Pass
Acequinocyl	ND	ND	2.0	1.5		Pass
Acetamiprid	ND	ND	0.2	0.1		Pass
Aldicarb	ND	ND	0.4	0.1		Pass
Azoxystrobin	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	0.2	0.1		Pass
Bifenthrin	ND	ND	0.2	0.1		Pass
Boscalid	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	0.2	0.1		Pass
Chlorfenapyr	ND	ND	1.0	0.1		Pass
Chlorpyrifos	ND	ND	0.2	0.1		Pass
Clofentezine	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	1.0	0.1		Pass
Daminozide	ND	ND	1.0	0.5		Pass
Diazinon	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass
Dimethoate	ND	ND	0.2	0.1		Pass
Ethoprophos	ND	ND	0.2	0.1		Pass
Etofenprox	ND	ND	0.4	0.1		Pass
Etoxazole	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	0.4	0.1		Pass
Fipronil	ND	ND	0.4	0.1		Pass
Flonicamid	ND	ND	1.0	0.1		Pass
Fludioxonil	ND	ND	0.4	0.1		Pass
Hexythiazox	ND	ND	1.0	0.1		Pass
Imazalil	ND	ND	0.2	0.1		Pass
Imidacloprid	ND	ND	0.4	0.1		Pass
Kresoxim-methyl	ND	ND	0.4	0.1		Pass
Malathion	ND	ND	0.2	0.1		Pass

Analyte	ZJH-PDF-PFD	TTT-GNB-SHT	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.1		Pass
Methiocarb	ND	ND	0.2	0.1		Pass
Methomyl	ND	ND	0.4	0.1		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.1		Pass
Naled	ND	ND	0.5	0.2		Pass
Oxamyl	ND	ND	1.0	0.1		Pass
Paclobutrazol	ND	ND	0.4	0.1		Pass
Permethrins	ND	ND	0.2	0.1		Pass
Phosmet	ND	ND	0.2	0.1		Pass
Piperonyl Butoxide	ND	ND	2.0	0.1		Pass
Prallethrin	ND	ND	0.2	0.1		Pass
Propiconazole	ND	ND	0.4	0.1		Pass
Propoxur	ND	ND	0.2	0.1		Pass
Pyrethrins	ND	ND	1.0	0.5		Pass
Pyridaben	ND	ND	0.2	0.1		Pass
Spinosad	ND	ND	0.2	0.1		Pass
Spiromesifen	ND	ND	0.2	0.1		Pass
Spirotetramat	ND	ND	0.2	0.1		Pass
Spiroxamine	ND	ND	0.4	0.1		Pass
Tebuconazole	ND	ND	0.4	0.1		Pass
Thiacloprid	ND	ND	0.2	0.1		Pass
Thiamethoxam	ND	ND	0.2	0.1		Pass
Trifloxystrobin	ND	ND	0.2	0.1		Pass

OLCC #010-1003340D344

info@lightscale.com

ORELAP #4112

Pesticides Analysis Date: 12/3/2019 Pesticides Batch ID: PST 120319C

Metrc Batch ID:

Metrc Sample ID:

Method: EN 15662 Unit: µg/g (ppm)

Report ID:

Harvest/Process Date: 11/25/2019

LS-191204-28

Pass 🥪



Sample Type: Tinctures

Sample Date: 12/2/2019

Analysis Date: 12/3/2019

Report Date: 12/9/2019

info@lightscale.com

OLCC #010-1003340D344

ORELAP #4112

Shot-15-12

Danodan Hempworks

(503) 290-4079

Pesticides Quality Control Data

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.851	1.00	85.1	50 - 150	
Acephate	ND	0.1	0.578	1.00	57.8	50 - 150	
Acequinocyl	ND	1.5	0.503	1.00	50.3	50 - 150	
Acetamiprid	ND	0.1	1.00	1.00	100	50 - 150	
Aldicarb	ND	0.1	0.722	1.00	72.2	50 - 150	
Azoxystrobin	ND	0.1	0.697	1.00	69.7	50 - 150	
Bifenazate	ND	0.1	ND	1.00	1.64	50 - 150	LR
Bifenthrin	ND	0.1	0.779	1.00	77.9	50 - 150	
Boscalid	ND	0.1	0.735	1.00	73.5	50 - 150	
Carbaryl	ND	0.1	0.816	1.00	81.6	50 - 150	
Carbofuran	ND	0.1	0.944	1.00	94.4	50 - 150	
Chlorantraniliprole	ND	0.1	0.813	1.00	81.3	50 - 150	
Chlorfenapyr	ND	0.1	0.896	1.00	89.6	50 - 150	
Chlorpyrifos	ND	0.1	0.785	1.00	78.5	50 - 150	
Clofentezine	ND	0.1	0.636	1.00	63.6	50 - 150	
Cyfluthrin	ND	0.5	0.920	1.00	92.0	50 - 150	
Cypermethrin	ND	0.1	0.854	1.00	85.4	50 - 150	
Daminozide	ND	0.5	ND	1.00	0.00	10 - 150	ND
Diazinon	ND	0.1	0.888	1.00	88.8	50 - 150	
Dichlorvos (DDVP)	ND	0.5	1.03	1.00	103	50 - 150	
Dimethoate	ND	0.1	0.769	1.00	76.9	50 - 150	
Ethoprophos	ND	0.1	0.880	1.00	88.0	50 - 150	
Etofenprox	ND	0.1	0.584	1.00	58.4	50 - 150	
Etoxazole	ND	0.1	0.766	1.00	76.6	50 - 150	
Fenoxycarb	ND	0.1	0.920	1.00	92.0	50 - 150	
Fenpyroximate	ND	0.1	0.633	1.00	63.3	50 - 150	
Fipronil	ND	0.1	0.955	1.00	95.5	50 - 150	
Flonicamid	ND	0.1	0.938	1.00	93.8	50 - 150	
Fludioxonil	ND	0.1	0.819	1.00	81.9	50 - 150	
Hexythiazox	ND	0.1	0.718	1.00	71.8	50 - 150	
Imazalil	ND	0.1	0.839	1.00	83.9	50 - 150	
Imidacloprid	ND	0.1	0.664	1.00	66.4	50 - 150	
Kresoxim-methyl	ND	0.1	0.851	1.00	85.1	50 - 150	
Malathion	ND	0.1	0.909	1.00	90.9	50 - 150	

Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 11/25/2019 Report ID:

LS-191204-28

Pesticides QC Analysis Date: 12/3/2019 Pesticides QC Batch ID: PST_120319C Method: EN 15662 Unit: μg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.1	0.647	1.00	64.7	50 - 150	
Methiocarb	ND	0.1	0.705	1.00	70.5	50 - 150	
Methomyl	ND	0.1	0.740	1.00	74.0	50 - 150	
Methyl Parathion	ND	0.2	0.553	1.00	55.3	30 - 150	
MGK-264	ND	0.2	0.498	0.600	83.0	50 - 150	
Myclobutanil	ND	0.1	0.725	1.00	72.5	50 - 150	
Naled	ND	0.2	0.546	1.00	54.6	50 - 150	
Oxamyl	ND	0.1	0.742	1.00	74.2	50 - 150	
Paclobutrazol	ND	0.1	0.813	1.00	81.3	50 - 150	
Permethrins	ND	0.1	0.682	1.00	68.2	50 - 150	
Phosmet	ND	0.1	0.739	1.00	73.9	50 - 150	
Piperonyl Butoxide	ND	0.1	0.614	1.00	61.4	50 - 150	
Prallethrin	ND	0.1	0.767	1.00	76.7	50 - 150	
Propiconazole	ND	0.1	0.836	1.00	83.6	50 - 150	
Propoxur	ND	0.1	0.825	1.00	82.5	50 - 150	
Pyrethrins	ND	0.5	0.854	1.00	85.4	50 - 150	
Pyridaben	ND	0.1	0.729	1.00	72.9	50 - 150	
Spinosad	ND	0.1	0.771	1.00	77.1	50 - 150	
Spiromesifen	ND	0.1	0.768	1.00	76.8	50 - 150	
Spirotetramat	ND	0.1	0.721	1.00	72.1	50 - 150	
Spiroxamine	ND	0.1	0.204	1.00	20.4	50 - 150	LR
Tebuconazole	ND	0.1	0.903	1.00	90.3	50 - 150	
Thiacloprid	ND	0.1	0.777	1.00	77.7	50 - 150	
Thiamethoxam	ND	0.1	0.930	1.00	93.0	50 - 150	
Trifloxystrobin	ND	0.1	1.01	1.00	101	50 - 150	

Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344



Danodan Hempworks

(503) 290-4079

Xylenes

Sample Type: Tinctures Sample Date: 12/2/2019 Analysis Date: 12/3/2019 Report Date: 12/9/2019

ND

Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 11/25/2019

Report ID:

LS-191204-28

Residual Solvents Sample Data				ysis Date : 12/3/2019 h ID : RES_120319A	Method: EPA 5021A Unit: µg/g (ppm)	Pass ⊘	
Analyte	ZJH-PDF-PFD	TTT-GNB-SHT	RPD (%)	Limits	LOQ	Notes	Status
1,4-Dioxane	ND	ND	0.00	380.0	50.0		Pass
2-Butanol	ND	ND	0.00	5000.0	250.0		Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0		Pass
Acetone	ND	ND	0.00	5000.0	250.0		Pass
Acetonitrile	ND	ND	0.00	410.0	50.0		Pass
Benzene	ND	ND	0.00	2.0	2.0		Pass
Butanes	ND	ND	0.00	5000.0	250.0		Pass
Cumene	ND	ND	0.00	70.0	50.0		Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0		Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0		Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0		Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0		Pass
Heptane	ND	ND	0.00	5000.0	250.0		Pass
Hexanes	ND	ND	0.00	290.0	50.0		Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0		Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Methanol	<l0q< td=""><td><l0q< td=""><td>0.00</td><td>3000.0</td><td>250.0</td><td></td><td>Pass</td></l0q<></td></l0q<>	<l0q< td=""><td>0.00</td><td>3000.0</td><td>250.0</td><td></td><td>Pass</td></l0q<>	0.00	3000.0	250.0		Pass
Dichloromethane	ND	ND	0.00	600.0	50.0		Pass
Pentanes	ND	ND	0.00	5000.0	250.0		Pass
Propane	ND	ND	0.00	5000.0	250.0		Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0		Pass
Toluene	ND	ND	0.00	890.0	50.0		Pass

0.00

2170.0

50.0

ND

Pass



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344



Danodan Hempworks

(503) 290-4079

0

Residual Solvents Quality Control Data

Sample Type: Tinctures Sample Date: 12/2/2019 Analysis Date: 12/3/2019 Report Date: 12/9/2019 Metrc Batch ID:

Metrc Sample ID:

Solvents QC Analysis Date: 12/3/2019 Solvents QC Batch ID: RES 120319A

Method: EPA 5021A **Unit:** μg/g (ppm)

Report ID:

Harvest/Process Date: 11/25/2019

LS-191204-28

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
1,4-Dioxane	ND	50.0	1000	1000	100	70 - 130	
2-Butanol	ND	250.0	973	1000	97.3	70 - 130	
2-Ethoxyethanol	ND	50.0	914	1000	91.4	70 - 130	
Acetone	ND	250.0	964	1000	96.4	70 - 130	
Acetonitrile	ND	50.0	988	1000	98.8	70 - 130	
Benzene	ND	2.0	18.7	20.0	93.4	70 - 130	
Butanes	ND	250.0	1900	2000	94.9	70 - 130	
Cumene	ND	50.0	1010	1000	101	70 - 130	
Cyclohexane	ND	50.0	966	1000	96.6	70 - 130	
Ethyl Acetate	ND	250.0	967	1000	96.7	70 - 130	
Ethyl Ether	ND	250.0	950	1000	95.0	70 - 130	
Ethylene Glycol	ND	250.0	840	1000	84.0	70 - 130	
Ethylene Oxide	ND	50.0	952	1000	95.2	70 - 130	
Heptane	ND	250.0	966	1000	96.6	70 - 130	
Hexanes	ND	50.0	4790	5000	95.7	70 - 130	
Isopropanol (2-Propanol)	ND	50.0	956	1000	95.6	70 - 130	
Isopropyl Acetate	ND	250.0	979	1000	97.9	70 - 130	
Methanol	ND	250.0	958	1000	95.8	70 - 130	
Dichloromethane	ND	50.0	973	1000	97.3	70 - 130	
Pentanes	ND	250.0	2850	3000	95.2	70 - 130	
Propane	ND	250.0	905	1000	90.5	70 - 130	
Tetrahydrofuran	ND	50.0	983	1000	98.3	70 - 130	
Toluene	ND	50.0	999	1000	99.9	70 - 130	
Xylenes	ND	50.0	4030	4000	101	70 - 130	



info@lightscale.com ORELAP #4112 OLCC #010-1003340D344



Danodan Hempworks

(503) 290-4079

Sample Type: Tinctures Sample Date: 12/2/2019 Analysis Date: 12/3/2019 Report Date: 12/9/2019 Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 11/25/2019 Report ID:



Qualifier Flag Descriptions

- J Reported result is an estimate the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
- U The analyte was not detected in the sample at the estimated detection limit (EDL)
- E Exceeds calibration range
- D Dilution data result was obtained from the analysis of a dilution
- B Analyte found in sample and associated blank
- C Co-eluting compound
- R Relative Percent Difference (RPD) outside control limits
- NR Analyte not reported because of problems in sample preparation or analysis
- ND Non-Detect
- X Results from reinjection/repeat/re-column data
- EMC Estimated maximum possible concentration indicates that a peak is detected but did not meet the method required criteria
- M Manual integration
- PS Peaks split
- HB Control acceptance criteria are exceeded high and the associated sample is below the detection limit
- LB Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
- ME Marginal Exceedance
- LR Low Recovery Analyte
- LOQ Limit of Quantitation