

TB-30

Danodan Hempworks
 6019 NE MLK JR. BLVD.
 PORTLAND, OR 97217
 (503) 290-4079

Sample Type: Tinctures
 Sample Date: 11/16/2020
 Analysis Date: 11/19/2020
 Report Date: 11/20/2020

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date: 10/23/2020
 Report ID: LS-201120-27
 Sample Plan ID: SP-201116-5-A
 Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Potency

Potency Analysis Date: 11/19/2020
 Potency Batch ID: CAN_111920D
 Potency Method: JAOAC 2015.1

2.52 mg/mL Total CBD
 0.225%



<LOQ Total THC
 <LOQ

Samples: SXZ-SWP-SXJ, JPF-PGR-TPB



Analyte	Description	LOQ	RPD (%)	Min.	Max.	Avg.	Unit: mg/mL
Δ9THC	Delta-9 Tetrahydrocannabinol	0.090	0.00	<LOQ	<LOQ	<LOQ	
THCA	Tetrahydrocannabinolic acid	0.090	0.00	ND	ND	ND	
CBD	Cannabidiol	0.090	0.623	2.51	2.52	2.52	
CBDA	Cannabidiolic acid	0.090	0.00	<LOQ	<LOQ	<LOQ	
Δ8THC	Delta-8 Tetrahydrocannabinol*	0.090	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	0.090	0.00	ND	ND	ND	
CBG	Cannabigerol*	0.090	0.00	<LOQ	<LOQ	<LOQ	
CBGA	Cannabigerolic acid*	0.090	0.00	ND	ND	ND	
CBC	Cannabichromene*	0.090	0.00	<LOQ	<LOQ	<LOQ	
CBCA	Cannabichromenic acid*	0.090	0.00	ND	ND	ND	
CBN	Cannabinol	0.090	0.00	<LOQ	<LOQ	<LOQ	
Total THC	Δ9THC + (THCA × 0.877)		0.00	<LOQ	<LOQ	<LOQ	
Total CBD	CBD + (CBDA × 0.877)		0.623	2.51	2.52	2.52	
Total			0.623	2.51	2.52	2.52	

Compliance

Pesticides	Within limits	Analysis Date: 11/19/2020	Pass 
Potency	Within limits	Analysis Date: 11/19/2020	Pass 


 Bryce Kidd, Ph.D.
 Lab Director


 Aaron Troyer
 Chief Science Officer



TB-30

Danodan Hempworks
 6019 NE MLK JR. BLVD.
 PORTLAND, OR 97217
 (503) 290-4079

Sample Type: Tinctures
 Sample Date: 11/16/2020
 Analysis Date: 11/19/2020
 Report Date: 11/20/2020

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date: 10/23/2020
 Report ID: LS-201120-27
 Sample Plan ID: SP-201116-5-A
 Sample Procedure: 160721_LAB-SOP_SampleCollection-v008



Pesticides Analysis Date: 11/19/2020
 Pesticides Batch ID: PST_111920B

Method: EN 15662
 Unit: µg/g (ppm)

Pass 

Analyte	JPF-PGR-TPB	SXZ-SWP-SXJ	Limits	LOQ	Notes	Status	Analyte	JPF-PGR-TPB	SXZ-SWP-SXJ	Limits	LOQ	Notes	Status
Abamectin	ND	ND	0.5	0.1		Pass	Metalaxyl	ND	ND	0.2	0.1		Pass
Acephate	ND	ND	0.4	0.1		Pass	Methiocarb	ND	ND	0.2	0.1		Pass
Acequinocyl	ND	ND	2.0	1.5		Pass	Methomyl	ND	ND	0.4	0.1		Pass
Acetamiprid	ND	ND	0.2	0.1		Pass	Methyl Parathion	ND	ND	0.2	0.2		Pass
Aldicarb	ND	ND	0.4	0.1		Pass	MGK-264	ND	ND	0.2	0.2		Pass
Azoxystrobin	ND	ND	0.2	0.1		Pass	Myclobutanil	ND	ND	0.2	0.1		Pass
Bifenazate	ND	ND	0.2	0.1		Pass	Naled	ND	ND	0.5	0.2		Pass
Bifenthrin	ND	ND	0.2	0.1		Pass	Oxamyl	ND	ND	1.0	0.1		Pass
Boscalid	ND	ND	0.4	0.1		Pass	Paclobutrazol	ND	ND	0.4	0.1		Pass
Carbaryl	ND	ND	0.2	0.1		Pass	Permethrins	ND	ND	0.2	0.1		Pass
Carbofuran	ND	ND	0.2	0.1		Pass	Phosmet	ND	ND	0.2	0.1		Pass
Chlorantraniliprole	ND	ND	0.2	0.1		Pass	Piperonyl Butoxide	ND	ND	2.0	1.0		Pass
Chlorfenapyr	ND	ND	1.0	0.1		Pass	Prallethrin	ND	ND	0.2	0.1		Pass
Chlorpyrifos	ND	ND	0.2	0.1		Pass	Propiconazole	ND	ND	0.4	0.1		Pass
Clofentezine	ND	ND	0.2	0.1		Pass	Propoxur	ND	ND	0.2	0.1		Pass
Cyfluthrin	ND	ND	1.0	0.5		Pass	Pyrethrins	ND	ND	1.0	0.5		Pass
Cypermethrin	ND	ND	1.0	0.1		Pass	Pyridaben	ND	ND	0.2	0.1		Pass
Daminozide	ND	ND	1.0	0.5		Pass	Spinosad	ND	ND	0.2	0.1		Pass
Diazinon	ND	ND	0.2	0.1		Pass	Spiromesifen	ND	ND	0.2	0.1		Pass
Dichlorvos (DDVP)	ND	ND	1.0	0.5		Pass	Spirotetramat	ND	ND	0.2	0.1		Pass
Dimethoate	ND	ND	0.2	0.1		Pass	Spiroxamine	ND	ND	0.4	0.1		Pass
Ethoprophos	ND	ND	0.2	0.1		Pass	Tebuconazole	ND	ND	0.4	0.1		Pass
Etofenprox	ND	ND	0.4	0.1		Pass	Thiacloprid	ND	ND	0.2	0.1		Pass
Etoxazole	ND	ND	0.2	0.1		Pass	Thiamethoxam	ND	ND	0.2	0.1		Pass
Fenoxycarb	ND	ND	0.2	0.1		Pass	Trifloxystrobin	ND	ND	0.2	0.1		Pass
Fenpyroximate	ND	ND	0.4	0.1		Pass							
Fipronil	ND	ND	0.4	0.1		Pass							
Flonicamid	ND	ND	1.0	0.1		Pass							
Fludioxonil	ND	ND	0.4	0.1		Pass							
Hexythiazox	ND	ND	1.0	0.1		Pass							
Imazalil	ND	ND	0.2	0.1		Pass							
Imidacloprid	ND	ND	0.4	0.1		Pass							
Kresoxim-methyl	ND	ND	0.4	0.1		Pass							
Malathion	ND	ND	0.2	0.1		Pass							

TB-30

Danodan Hempworks
 6019 NE MLK JR. BLVD.
 PORTLAND, OR 97217
 (503) 290-4079

Sample Type: Tinctures
 Sample Date: 11/16/2020
 Analysis Date: 11/19/2020
 Report Date: 11/20/2020

Metric Batch ID:
 Metric Sample ID:

Harvest/Process Date: 10/23/2020
 Report ID: LS-201120-27
 Sample Plan ID: SP-201116-5-A
 Sample Procedure: 160721_LAB-SOP_SampleCollection-v008

Pesticides Quality Control Data

Pesticides QC Analysis Date: 11/19/2020 Method: EN 15662
 Pesticides QC Batch ID: PST_111920B Unit: µg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes	Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Abamectin	ND	0.1	0.910	1.00	91.0	50 - 150		Metalaxyl	ND	0.1	1.12	1.00	112	50 - 150	
Acephate	ND	0.1	0.914	1.00	91.4	50 - 150		Methiocarb	ND	0.1	1.07	1.00	107	50 - 150	
Acequinocyl	ND	1.5	1.01	1.00	101	50 - 150		Methomyl	ND	0.1	0.907	1.00	90.7	50 - 150	
Acetamiprid	ND	0.1	0.896	1.00	89.6	50 - 150		Methyl Parathion	ND	0.2	2.24	1.00	224	30 - 150	HB
Aldicarb	ND	0.1	0.925	1.00	92.5	50 - 150		MGK-264	ND	0.2	0.635	0.600	106	50 - 150	
Azoxystrobin	ND	0.1	1.01	1.00	101	50 - 150		Myclobutanil	ND	0.1	1.04	1.00	104	50 - 150	
Bifenazate	ND	0.1	1.68	1.00	168	50 - 150	ME	Naled	ND	0.2	0.831	1.00	83.1	50 - 150	
Bifenthrin	ND	0.1	1.02	1.00	102	50 - 150		Oxamyl	ND	0.1	0.912	1.00	91.2	50 - 150	
Boscalid	ND	0.1	1.10	1.00	110	50 - 150		Paclobutrazol	ND	0.1	0.900	1.00	90.0	50 - 150	
Carbaryl	ND	0.1	0.979	1.00	97.9	50 - 150		Permethrins	ND	0.1	1.10	1.00	110	50 - 150	
Carbofuran	ND	0.1	0.867	1.00	86.7	50 - 150		Phosmet	ND	0.1	1.02	1.00	102	50 - 150	
Chlorantraniliprole	ND	0.1	0.914	1.00	91.4	50 - 150		Piperonyl Butoxide	ND	1.0	0.988	1.00	98.8	50 - 150	
Chlorfenapyr	ND	0.1	1.06	1.00	106	50 - 150		Prallethrin	ND	0.1	1.05	1.00	105	50 - 150	
Chlorpyrifos	ND	0.1	1.02	1.00	102	50 - 150		Propiconazole	ND	0.1	0.968	1.00	96.8	50 - 150	
Clofentezine	ND	0.1	0.972	1.00	97.2	50 - 150		Propoxur	ND	0.1	1.03	1.00	103	50 - 150	
Cyfluthrin	ND	0.5	1.14	1.00	114	50 - 150		Pyrethrins	ND	0.5	0.623	1.00	62.3	50 - 150	
Cypermethrin	ND	0.1	0.979	1.00	97.9	50 - 150		Pyridaben	ND	0.1	0.926	1.00	92.6	50 - 150	
Daminozide	ND	0.5	0.562	1.00	56.2	10 - 150		Spinosad	ND	0.1	0.899	1.00	89.9	50 - 150	
Diazinon	ND	0.1	0.934	1.00	93.4	50 - 150		Spiromesifen	ND	0.1	1.03	1.00	103	50 - 150	
Dichlorvos (DDVP)	ND	0.5	0.919	1.00	91.9	50 - 150		Spirotetramat	ND	0.1	0.981	1.00	98.1	50 - 150	
Dimethoate	ND	0.1	0.954	1.00	95.4	50 - 150		Spiroxamine	ND	0.1	1.02	1.00	102	50 - 150	
Ethoprophos	ND	0.1	0.908	1.00	90.8	50 - 150		Tebuconazole	ND	0.1	1.06	1.00	106	50 - 150	
Etofenprox	ND	0.1	1.04	1.00	104	50 - 150		Thiacloprid	ND	0.1	1.01	1.00	101	50 - 150	
Etoxazole	ND	0.1	0.957	1.00	95.7	50 - 150		Thiamethoxam	ND	0.1	0.862	1.00	86.2	50 - 150	
Fenoxycarb	ND	0.1	0.952	1.00	95.2	50 - 150		Trifloxystrobin	ND	0.1	1.04	1.00	104	50 - 150	
Fenpyroximate	ND	0.1	0.949	1.00	94.9	50 - 150									
Fipronil	ND	0.1	1.14	1.00	114	50 - 150									
Flonicamid	ND	0.1	0.943	1.00	94.3	50 - 150									
Fludioxonil	ND	0.1	1.07	1.00	107	50 - 150									
Hexythiazox	ND	0.1	0.942	1.00	94.2	50 - 150									
Imazalil	ND	0.1	0.996	1.00	99.6	50 - 150									
Imidacloprid	ND	0.1	0.863	1.00	86.3	50 - 150									
Kresoxim-methyl	ND	0.1	0.986	1.00	98.6	50 - 150									
Malathion	ND	0.1	1.03	1.00	103	50 - 150									

TB-30

Danodan Hempworks
6019 NE MLK JR. BLVD.
PORTLAND, OR 97217
(503) 290-4079

Sample Type: Tinctures
Sample Date: 11/16/2020
Analysis Date: 11/19/2020
Report Date: 11/20/2020

Metric Batch ID:
Metric Sample ID:

Harvest/Process Date: 10/23/2020
Report ID: LS-201120-27
Sample Plan ID: SP-201116-5-A
Sample Procedure: 160721_LAB-
SOP_SampleCollection-v008

Qualifier Flag Descriptions

J	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
U	The analyte was not detected in the sample at the estimated detection limit (EDL)
E	Exceeds calibration range
D	Dilution data - result was obtained from the analysis of a dilution
B	Analyte found in sample and associated blank
C	Co-eluting compound
R	Relative Percent Difference (RPD) outside control limits
NR	Analyte not reported because of problems in sample preparation or analysis
ND	Non-Detect
X	Results from reinjection/repeat/re-column data
EMC	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
M	Manual integration
PS	Peaks split
HB	Control acceptance criteria are exceeded high and the associated sample is below the detection limit
LB	Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
ME	Marginal Exceedance
LR	Low Recovery Analyte
LOQ	Limit of Quantitation