

HOW TO READ OUR CERTIFICATE OF ANALYSIS (COA)

Using Lightscale Labs, we perform all tests required under state law for recreational cannabis, medical cannabis, and industrial hemp. Chromatography is used for all required tests, a technique where liquid or gas separates different cannabinoids, pesticides, and residual solvents so that each can be identified and measured precisely.

PAGE I CANNABINOID POTENCY



Here you can see the dates related to this particular batch of product, including when it was processed, sampled, analyzed, and when the report was finished.




Total CBD and THC content in mg/ml and percentage.



Δ9-THC, THCA, CBD, CBDA, and CBN in accordance with OAR 333-007-0430, plus minor cannabinoids.



PASS or FAIL results for Pesticides, Solvents, and Potency within this COA.





HOW TO READ OUR CERTIFICATE OF ANALYSIS (COA)

PAGE 2-3 PESTICIDE DATA



All cannabis must be tested for the presence of a number of different contaminants, including pesticides. Danodan uses hemp that is grown using organic techniques, ensuring we use only the purest, cleanest hemp.



PAGE 4-5 **RESIDUAL SOLVENT DATA**



Certain solvents can be harmful to human health and safety if they remain in the final product. If a producer uses a solvent or concentrate in their product, thorough testing is required to ensure that potential residual amounts are below recognized safety limits. Danodan uses a high-purity concentrate in our yellow and red label products, so Residual Solvent testing is required. Our blue label products do not use any solvents or concentrates; therefore, no Residual Solvent testing is needed for blue label products.



LOQ - (Limit of Quantitation):

The lowest quantity of a substance that can be reliably measured. If a product measures <LOQ, that means that the substance was detected, but at levels below which it can be accurately measured. This is different from ND, which means that none of that substance was detected.

RPD (%) - Relative Percent Difference:

Each sample we send to the lab is tested multiple times, and the results of the various tests are averaged to give the final results. RPD represents the average variation in measurement of a certain substance between multiple rounds of testing



Danodan Hempworks 6019 NE MLK JR. BLVD. PORTLAND, OR 97217 (503) 290-4079 Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021 Report ID: 1 S-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Potency

Potency Analysis Date: 7/1/2021 Potency Batch ID: CAN_070121A Potency Method: JAOAC 2015.1

16.7 mg/mL

Total CBD 1.46%

0.573 mg/mL

Total THC 0.0501%

Samples: FZX-JDG-ZDZ, HMT-BHF-XDZ



Analyte	Description	LOQ	RPD (%)	Min.	Max.	Avg.	
Δ9ΤΗC	Delta-9 Tetrahydrocannabinol	0.0057	0.599	0.570	0.574	0.573	•
THCA	Tetrahydrocannabinolic acid	0.0057	0.00	ND	ND	ND	
CBD	Cannabidiol	0.0057	0.546	16.2	16.3	16.3	
CBDA	Cannabidiolic acid	0.0057	0.00	0.426	0.426	0.426	•
Д8ТНС	Delta-8 Tetrahydrocannabinol*	0.0057	0.00	ND	ND	ND	
THCV	Tetrahydrocannabivarin*	0.0057	0.00	ND	ND	ND	
CBG	Cannabigerol*	0.0057	1.28	0.355	0.360	0.358	•
CBGA	Cannabigerolic acid*	0.0057	0.00	ND	ND	ND	
CBC	Cannabichromene*	0.0057	0.474	0.722	0.726	0.725	-
CBCA	Cannabichromenic acid*	0.0057	0.00	ND	ND	ND	
CBN	Cannabinol*	0.0057	9.52	0.0229	0.0251	0.0240	•
Total THC	Δ9THC + (THCA × 0.877)		0.599	0.570	0.574	0.573	•
Total CBD	CBD + (CBDA × 0.877)		0.534	16.7	16.7	16.7	
Total			0.534	18.4	18.5	18.4	

Compliance

Pesticides	Within limits	Analysis Date: 7/1/2021	Pass 🔗
Solvents	Within limits	Analysis Date: 7/2/2021	Pass 🛇
Potency	Within limits	Analysis Date: 7/1/2021	Pass (🗸

Bryce Kidd, Ph.D.
Lab Director

Aaron Troyer
Chief Science Officer

approval of Lightscale Labs. Results marked with an asterisk (*) are not within scope of accreditation and for informational purposes only.



Lightscale Labs is accredited by ORELAP (Lab #4112) for analysis in compliance with OAR 333-064 and OAR 333-067. Results pertain to submitted samples only. Unless otherwise noted, samples were received in good condition and Quality Control samples met acceptance criteria. This Certificate shall not be reproduced except in full, without the written



Danodan Hempworks 6019 NE MLK JR. BLVD. PORTLAND, OR 97217 (503) 290-4079 Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021

Report ID: LS-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Potency
Quality Control Data

Potency QC Analysis Date: 7/1/2021 Potency QC Batch ID: CAN_070121A Method: JAOAC 2015.1 Unit: mg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Δ9ΤΗC	ND	0.0057	19.8	19.1	104	80 - 120	
THCA	ND	0.0057	19.6	19.2	102	80 - 120	
CBD	ND	0.0057	25.8	24.6	105	80 - 120	
CBDA	ND	0.0057	21.2	21.2	100	80 - 120	



Danodan Hempworks 6019 NF MI K JR. BI VD. PORTLAND, OR 97217 (503) 290-4079

Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW

ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021

Report ID: LS-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Pesticides Sample Data Pesticides Analysis Date: 7/1/2021 Pesticides Batch IDs: PST_070121B_1, PST_070121A_1

Unit: µg/g (ppm) Pass 🕢 Method: AOAC 2007.01 & EN 15662

Abamectin ND ND 0.5 0.4 Pass Acephate ND ND 0.4 0.2 Pass Acequinocyl ND ND 0.2 0.2 Pass Acetamiprid ND ND 0.2 0.2 Pass Aldicarb ND ND 0.2 0.2 Pass Aldicarb ND ND 0.2 0.2 Pass Bifenazate ND ND 0.2 0.2 Pass Bifenthrin ND ND 0.2 0.2 Pass Bifenthrin ND ND 0.2 0.2 Pass Boscalid ND ND 0.4 0.2 Pass Carbaryl ND ND 0.2 0.2 Pass Carbofuran ND ND 0.2 0.2 Pass Chloratraniliprole ND ND 0.2 0.2 Pass Chloropyrifos ND ND	Analyte	FZX-JDG-ZDZ	HMT-BHF-XDZ	Limits	LOQ	Notes	Status
Acequinocyl ND ND 2.0 0.2 Pass Acetamiprid ND ND 0.2 0.2 Pass Aldicarb ND ND 0.4 0.2 Pass Aldicarb ND ND ND 0.4 0.2 Pass Bifenazate ND ND ND 0.2 0.2 Pass Bifenazate ND ND ND 0.2 0.2 Pass Bifenazate ND ND ND 0.4 0.2 Pass Boscalid ND ND ND 0.4 0.2 Pass Boscalid ND ND ND 0.2 0.2 Pass Boscalid ND ND ND 0.2 0.2 Pass Carboryl ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND 0.2 0.2 Pass Chlorpyrifos ND ND 0.2 0.2 Pass Chlorpyrifos ND ND 0.2 0.2 Pass Cyfluthrin ND ND 0.2 0.2 Pass Cyfluthrin ND ND 0.2 0.2 Pass Cyfluthrin ND ND 1.0 1.0 Pass Cypermethrin ND ND 1.0 1.0 Pass Daminozide ND ND 1.0 1.0 Pass Diazinon ND ND 1.0 0.2 0.2 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.2 0.2 Pass Etofenprox ND ND ND 0.2 0.2 Pass Etoxazole ND ND ND 0.4 0.2 Pass Etoxazola ND ND ND 0.4 0.4 0.2 Pass Etoxazola ND ND ND 0.4 0.4 0.2 Pass Etoxazola ND ND ND 0.4 0.4 0.2 Pass	Abamectin	ND	ND	0.5	0.4		Pass
Acetamiprid ND ND 0.2 0.2 Pass Aldicarb ND ND 0.4 0.2 Pass Alzoxystrobin ND ND 0.2 0.2 Pass Bifenazate ND ND ND 0.2 0.2 Pass Bifenazate ND ND ND 0.2 0.2 Pass Bifenazate ND ND ND 0.2 0.2 Pass Bifenthrin ND ND ND 0.2 0.2 Pass Bifenthrin ND ND ND 0.2 0.2 Pass Carboryl ND ND ND 0.2 0.2 Pass Carboryl ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorefnapyr ND ND ND 1.0 1.0 1.0 Pass Chloryfifos ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 0.2 0.2 Pass Cyfluthrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Diazinon ND ND ND 1.0 0.2 0.2 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.2 0.2 Pass Ethoprophos ND ND ND 0.2 0.2 Pass Ettofenprox ND ND ND 0.2 0.2 Pass Ettofenprox ND ND ND 0.2 0.2 Pass Ettofenprox ND ND ND 0.2 0.2 Pass Ettoxazole ND ND ND 0.2 0.2 Pass Fenoxycarb ND ND ND 0.2 0.2 Pass Fipronil ND ND ND 0.4 0.4 0.2 Pass Fipronil ND ND 0.4 0.4 0.4 Pass Fipronil ND	Acephate	ND	ND	0.4	0.2		Pass
Aldicarb ND ND ND 0.4 0.2 Pass Azoxystrobin ND ND ND 0.2 0.2 Pass Bifenazate ND ND ND 0.2 0.2 Pass Bifenazate ND ND ND 0.2 0.2 Pass Bifenthrin ND ND ND 0.2 0.2 Pass Boscalid ND ND ND 0.4 0.2 0.2 Pass Carbaryl ND ND ND 0.2 0.2 Pass Carbofuran ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorenapyr ND ND ND 1.0 1.0 1.0 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 0.2 0.2 Pass Cyfluthrin ND ND 1.0 1.0 1.0 Pass Cypermethrin ND ND 1.0 1.0 1.0 Pass Cypermethrin ND ND 1.0 1.0 1.0 Pass Daminozide ND ND 1.0 1.0 1.0 Pass Diazinon ND ND 1.0 0.2 0.2 Pass Dicalinoryos (DDVP) ND ND ND 1.0 0.2 0.2 Pass Ethoprophos ND ND ND 0.2 0.2 Pass Etofenprox ND ND ND 0.2 0.2 Pass Etofenprox ND ND ND 0.2 0.2 Pass Etofenprox ND ND ND 0.2 0.2 Pass Etorazole ND ND ND 0.4 0.2 Pass Fenoxycarb ND ND ND 0.4 0.2 Pass Fipronil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.2 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.2 0.2 Pass Fludioxonil ND ND ND 0.4 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND	Acequinocyl	ND	ND	2.0	0.2		Pass
Azoxystrobin ND ND 0.2 0.2 Pass Bifenazate ND ND 0.2 0.2 Pass Bifenthrin ND ND 0.2 0.2 Pass Boscalid ND ND ND 0.4 0.2 Pass Carbaryl ND ND ND 0.2 0.2 Pass Carbofuran ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 1.0 1.0 Pass Chlorfenapyr ND ND ND 1.0 1.0 Pass Chlorpyrifos ND ND ND 1.0 1.0 Pass Clofentezine ND ND ND 1.0 Pass Cyfluthrin ND ND 1.0 1.0 Pass Cygermethrin ND ND ND 1.0 1.0 Pass Diazinon ND ND	Acetamiprid	ND	ND	0.2	0.2		Pass
Bifenazate ND ND 0.2 0.2 Pass Bifenthrin ND ND 0.2 0.2 Pass Boscalid ND ND 0.4 0.2 Pass Carbaryl ND ND ND 0.2 0.2 Pass Carbofuran ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 1.0 1.0 Pass Chlorfenapyr ND ND ND 1.0 1.0 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 0.2 0.2 Pass Cyfluthrin ND ND 1.0 1.0 Pass Cygermethrin ND ND 1.0 0.4 Pass Diazinon ND ND ND 0.2 0.2 Pass Diazinon ND ND	Aldicarb	ND	ND	0.4	0.2		Pass
Bifenthrin ND ND 0.2 0.2 Pass Boscalid ND ND 0.4 0.2 Pass Carbaryl ND ND 0.2 0.2 Pass Carbofuran ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorfenapyr ND ND ND 1.0 1.0 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 1.0 1.0 Pass Cyfluthrin ND ND 1.0 1.0 Pass Cyfluthrin ND ND 1.0 1.0 Pass Cygermethrin ND ND ND 1.0 1.0 Pass Diazinon ND ND	Azoxystrobin	ND	ND	0.2	0.2		Pass
Boscalid ND ND 0.4 0.2 Pass Carbaryl ND ND 0.2 0.2 Pass Carbaryl ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorenapyr ND ND ND 1.0 1.0 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Cyfluthrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Daminozide ND ND ND 1.0 0.4 Pass Diazinon ND ND ND 1.0 0.2 Pass Dimethoate ND ND ND 1.0 0.2 Pass Ethoprophos ND ND ND 0.2 0.2 Pass Etofenprox ND ND ND 0.2 0.2 Pass Etofenprox ND ND ND 0.2 0.2 Pass Etoxazole ND ND ND 0.2 0.2 Pass Fenoxycarb ND ND ND 0.2 0.2 Pass Fipronil ND ND ND 0.4 0.2 Pass Fipronil ND ND ND 0.4 0.2 Pass Fipronil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.2 0.2 Pass Imazalil ND ND ND 0.4 0.2 Pass Imazalil ND ND ND 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.4 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.4 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4	Bifenazate	ND	ND	0.2	0.2		Pass
Carbaryl ND ND 0.2 0.2 Pass Carbofuran ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND ND 0.2 0.2 Pass Chlorfenapyr ND ND ND 1.0 1.0 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 1.0 1.0 Pass Cypermethrin ND ND 1.0 1.0 9.2 Pass Diazinon ND ND ND 9.2 9.2 Pass	Bifenthrin	ND	ND	0.2	0.2		Pass
Carbofuran ND ND 0.2 0.2 Pass Chlorantraniliprole ND ND 0.2 0.2 Pass Chlorfenapyr ND ND ND 1.0 1.0 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 0.2 0.2 Pass Cyfluthrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND 1.0 1.0 Pass Daminozide ND ND 1.0 1.0 Pass Diazinon ND ND 0.2 9.2 Pass Dichlorvos (DDVP) ND ND ND 0.2 9.2 Pass Etofenores ND <	Boscalid	ND	ND	0.4	0.2		Pass
Chlorantraniliprole ND ND 0.2 0.2 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Chlorpyrifos ND ND ND 0.2 0.2 Pass Clofentezine ND ND ND 0.2 0.2 Pass Cyfluthrin ND ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Daminozide ND ND ND 1.0 0.4 Pass Diazinon ND ND ND 1.0 0.2 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.2 Pass Ethoprophos ND ND ND 0.2 0.2 Pass Etofenprox ND ND ND 0.2 0.2 Pass Etoxazole ND ND ND 0.4 0.2 Pass Etoxazole ND ND ND 0.2 0.2 Pass Fenoxycarb ND ND ND 0.2 0.2 Pass Fipronil ND ND ND 0.4 0.2 Pass Fipronil ND ND ND 0.4 0.2 Pass Fipronil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Fludioxonil ND ND ND 0.4 0.2 Pass Imazalil ND ND ND 0.4 0.2 Pass Imazalil ND ND ND 0.4 0.2 Pass Imidacloprid ND ND ND 0.4 0.4 0.4 Pass	Carbaryl	ND	ND	0.2	0.2		Pass
Chlorfenapyr ND ND 1.0 1.0 Pass Chlorpyrifos ND ND 0.2 0.2 Pass Clofentezine ND ND 0.2 0.2 Pass Cyfluthrin ND ND 1.0 1.0 Pass Cypermethrin ND ND ND 1.0 1.0 Pass Daminozide ND ND ND 1.0 0.4 Pass Diazinon ND ND ND 0.2 0.2 Pass Etholoryos (DDVP) ND ND ND 0.2 0.2 Pass Ethoprophos ND ND ND 0.2 0.2 Pass Etosazole ND	Carbofuran	ND	ND	0.2	0.2		Pass
Chlorpyrifos ND ND 0.2 0.2 Pass Clofentezine ND ND 0.2 0.2 Pass Cyfluthrin ND ND 1.0 1.0 Pass Cypermethrin ND ND 1.0 1.0 Pass Daminozide ND ND 1.0 0.4 Pass Diazinon ND ND 0.2 0.2 Pass Ethorous (DDVP) ND ND 0.2 0.2 Pass Ethoprovs (DDVP) ND ND 0.2 0.2 Pass Ethoprophos ND ND 0.4 0.2 Pass Etofenprox ND ND </td <td>Chlorantraniliprole</td> <td>ND</td> <td>ND</td> <td>0.2</td> <td>0.2</td> <td></td> <td>Pass</td>	Chlorantraniliprole	ND	ND	0.2	0.2		Pass
Clofentezine	Chlorfenapyr	ND	ND	1.0	1.0		Pass
Cyfluthrin ND ND 1.0 1.0 Pass Cypermethrin ND ND 1.0 1.0 Pass Daminozide ND ND 1.0 0.4 Pass Diazinon ND ND 0.2 0.2 Pass Dichlorvos (DDVP) ND ND 0.2 0.2 Pass Dimethoate ND ND 0.2 0.2 Pass Ethoprophos ND ND 0.2 0.2 Pass Etofenprox ND ND 0.4 0.2 Pass Etoxazole ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.2 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 0.4 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND <td>Chlorpyrifos</td> <td>ND</td> <td>ND</td> <td>0.2</td> <td>0.2</td> <td></td> <td>Pass</td>	Chlorpyrifos	ND	ND	0.2	0.2		Pass
Cypermethrin ND ND 1.0 1.0 Pass Daminozide ND ND 1.0 0.4 Pass Diazinon ND ND ND 0.2 0.2 Pass Dichlorvos (DDVP) ND ND ND 0.2 0.2 Pass Dimethoate ND ND ND 0.2 0.2 Pass Ethoprophos ND ND ND 0.2 0.2 Pass Etofenprox ND ND ND 0.4 0.2 Pass Etoxazole ND ND ND 0.2 0.2 Pass Fenoxycarb ND ND ND 0.2 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 0.4 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND	Clofentezine	ND	ND	0.2	0.2		Pass
Daminozide ND ND 1.0 0.4 Pass Diazinon ND ND 0.2 0.2 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.2 Pass Dimethoate ND ND ND 0.2 0.2 Pass Ethoprophos ND ND 0.2 0.2 Pass Etofenprox ND ND 0.4 0.2 Pass Etoxazole ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 0.4 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 0.0 0.2 Pass Imidacloprid <td>Cyfluthrin</td> <td>ND</td> <td>ND</td> <td>1.0</td> <td>1.0</td> <td></td> <td>Pass</td>	Cyfluthrin	ND	ND	1.0	1.0		Pass
Diazinon ND ND 0.2 0.2 Pass Dichlorvos (DDVP) ND ND ND 1.0 0.2 Pass Dimethoate ND ND ND 0.2 0.2 Pass Ethoprophos ND ND 0.2 0.2 Pass Etofenprox ND ND 0.4 0.2 Pass Etoxazole ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.2 0.2 Pass Fenpyroximate ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 0.2 Pass Imazalil ND ND 0.4 0.2 Pass Imidacloprid ND </td <td>Cypermethrin</td> <td>ND</td> <td>ND</td> <td>1.0</td> <td>1.0</td> <td></td> <td>Pass</td>	Cypermethrin	ND	ND	1.0	1.0		Pass
Dichlorvos (DDVP) ND ND 1.0 0.2 Pass Dimethoate ND ND 0.2 0.2 Pass Ethoprophos ND ND 0.2 0.2 Pass Etofenprox ND ND 0.4 0.2 Pass Etoxazole ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.4 0.2 Pass Fenpyroximate ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Fludioxonil ND ND 1.0 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 0.2 Pass Imazalil ND ND 0.4 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND <	Daminozide	ND	ND	1.0	0.4		Pass
Dimethoate ND ND 0.2 0.2 Pass Ethoprophos ND ND ND 0.2 0.2 Pass Etofenprox ND ND 0.4 0.2 Pass Etoxazole ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.2 0.2 Pass Fenpyroximate ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 1.0 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.4 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Diazinon	ND	ND	0.2	0.2		Pass
Ethoprophos ND ND 0.2 0.2 Pass Etofenprox ND ND 0.4 0.2 Pass Etoxazole ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.2 0.2 Pass Fenpyroximate ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 1.0 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.2 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Dichlorvos (DDVP)	ND	ND	1.0	0.2		Pass
Etofenprox	Dimethoate	ND	ND	0.2	0.2		Pass
Etoxazole ND ND 0.2 0.2 Pass Fenoxycarb ND ND 0.2 0.2 Pass Fenpyroximate ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 1.0 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.2 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Ethoprophos	ND	ND	0.2	0.2		Pass
Fenoxycarb ND ND 0.2 0.2 Pass Fenpyroximate ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 1.0 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.2 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Etofenprox	ND	ND	0.4	0.2		Pass
Fenpyroximate ND ND 0.4 0.2 Pass Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 1.0 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.2 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Etoxazole	ND	ND	0.2	0.2		Pass
Fipronil ND ND 0.4 0.2 Pass Flonicamid ND ND 1.0 0.2 Pass Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.2 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Fenoxycarb	ND	ND	0.2	0.2		Pass
Pass	Fenpyroximate	ND	ND	0.4	0.2		Pass
Fludioxonil ND ND 0.4 0.4 Pass Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.2 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Fipronil	ND	ND	0.4	0.2		Pass
Hexythiazox ND ND 1.0 0.2 Pass Imazalil ND ND 0.2 0.2 Pass Imidacloprid ND ND 0.4 0.2 Pass Kresoxim-methyl ND ND 0.4 0.4 Pass	Flonicamid	ND	ND	1.0	0.2		Pass
ImazalilNDND0.20.2PassImidaclopridNDND0.40.2PassKresoxim-methylNDND0.40.4Pass	Fludioxonil	ND	ND	0.4	0.4		Pass
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	Hexythiazox	ND	ND	1.0	0.2		Pass
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	Imazalil	ND	ND	0.2	0.2		Pass
	Imidacloprid	ND	ND	0.4	0.2		Pass
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	Kresoxim-methyl	ND	ND	0.4	0.4		Pass
	Malathion	ND	ND	0.2	0.2		Pass

Analyte	FZX-JDG-ZDZ	HMT-BHF-XDZ	Limits	LOQ	Notes	Status
Metalaxyl	ND	ND	0.2	0.2		Pass
Methiocarb	ND	ND	0.2	0.2		Pass
Methomyl	ND	ND	0.4	0.2		Pass
Methyl Parathion	ND	ND	0.2	0.2		Pass
MGK-264	ND	ND	0.2	0.2		Pass
Myclobutanil	ND	ND	0.2	0.2		Pass
Naled	ND	ND	0.5	0.4		Pass
Oxamyl	ND	ND	1.0	0.2		Pass
Paclobutrazol	ND	ND	0.4	0.2		Pass
Permethrins	ND	ND	0.2	0.2		Pass
Phosmet	ND	ND	0.2	0.2		Pass
Piperonyl Butoxide	ND	ND	2.0	0.2		Pass
Prallethrin	ND	ND	0.2	0.2		Pass
Propiconazole	ND	ND	0.4	0.2		Pass
Propoxur	ND	ND	0.2	0.2		Pass
Pyrethrins	ND	ND	1.0	1.0		Pass
Pyridaben	ND	ND	0.2	0.2		Pass
Spinosad	ND	ND	0.2	0.2		Pass
Spiromesifen	ND	ND	0.2	0.2		Pass
Spirotetramat	ND	ND	0.2	0.2		Pass
Spiroxamine	ND	ND	0.4	0.2		Pass
Tebuconazole	ND	ND	0.4	0.2		Pass
Thiacloprid	ND	ND	0.2	0.2		Pass
Thiamethoxam	ND	ND	0.2	0.2		Pass
Trifloxystrobin	ND	ND	0.2	0.2		Pass



Danodan Hempworks 6019 NE MLK JR. BLVD. PORTLAND, OR 97217 (503) 290-4079 Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW

106

50 - 150

ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021

Report ID: LS-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Pesticides
Quality Control Data

Pesticides QC Analysis Date: 7/1/2021 Pesticides Batch ID: PST 070121A 1 Unit: µg/g (ppm)

Method: AOAC 2007.01 & EN 15662

Analyte Blank LOQ LCS LCS Spike LCS Rec (%) Limits (%) Notes

Methyl Parathion ND 0.002 0.0106 0.0100

Analyte Blank LOQ LCS LCS Spike LCS Rec (%) Limits (%) Notes



Danodan Hempworks 6019 NE MLK JR. BLVD. PORTLAND, OR 97217 (503) 290-4079 Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021

Report ID: LS-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Pesticides Quality Control Data

Analyte		LOQ	LCS		LCS Rec (%)		Notes
Abamectin	ND	0.002	0.0531	0.0500	106	50 - 150	
Acephate	ND	0.002	0.0506	0.0500	101	50 - 150	
Acequinocyl	ND	0.002	0.0431	0.0500	86.2	50 - 150	
Acetamiprid	ND	0.002	0.0527	0.0500	105	50 - 150	
Aldicarb	ND	0.002	0.0529	0.0500	106	50 - 150	
Azoxystrobin	ND	0.002	0.0412	0.0500	82.4	50 - 150	
Bifenazate	ND	0.002	0.0598	0.0500	120	50 - 150	
Bifenthrin	ND	0.002	0.0464	0.0500	92.9	50 - 150	
Boscalid	ND	0.002	0.0516	0.0500	103	50 - 150	
Carbaryl	ND	0.002	0.0480	0.0500	96.0	50 - 150	
Carbofuran	ND	0.002	0.0536	0.0500	107	50 - 150	
${\tt Chlorantraniliprole}$	ND	0.002	0.0495	0.0500	99.0	50 - 150	
Chlorfenapyr	ND	0.002	0.0453	0.0500	90.5	50 - 150	
Chlorpyrifos	ND	0.002	0.0451	0.0500	90.2	50 - 150	
Clofentezine	ND	0.002	0.0545	0.0500	109	50 - 150	
Cyfluthrin	ND	0.002	0.0424	0.0500	84.9	50 - 150	
Cypermethrin	ND	0.002	0.0543	0.0500	109	50 - 150	
Daminozide	ND	0.002	0.0567	0.0500	113	10 - 150	
Diazinon	ND	0.002	0.0561	0.0500	112	50 - 150	
Dichlorvos (DDVP)	ND	0.002	0.0494	0.0500	98.8	50 - 150	
Dimethoate	ND	0.002	0.0504	0.0500	101	50 - 150	
Ethoprophos	ND	0.002	0.0558	0.0500	112	50 - 150	
Etofenprox	ND	0.002	0.0360	0.0500	71.9	50 - 150	
Etoxazole	ND	0.002	0.0473	0.0500	94.6	50 - 150	
Fenoxycarb	ND	0.002	0.0503	0.0500	101	50 - 150	
Fenpyroximate	ND	0.002	0.0507	0.0500	101	50 - 150	
Fipronil	ND	0.002	0.0534	0.0500	107	50 - 150	
Flonicamid	ND	0.002	0.0481	0.0500	96.2	50 - 150	
Fludioxonil	ND	0.002	0.0514	0.0500	103	50 - 150	
Hexythiazox	ND	0.002	0.0517	0.0500	103	50 - 150	
Imazalil	ND	0.002	0.0574	0.0500	115	50 - 150	
Imidacloprid	ND	0.002	0.0532	0.0500	106	50 - 150	
Kresoxim-methyl	ND	0.002	0.0489	0.0500	97.9	50 - 150	
Malathion	ND	0.002	0.0508	0.0500	102	50 - 150	

Pesticides QC Analysis Date: 7/1/2021 Pesticides Batch ID: PST 070121B 1 Unit: µg/g (ppm)

Method: AOAC 2007.01 & EN 15662

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
Metalaxyl	ND	0.002	0.0570	0.0500	114	50 - 150	
Methiocarb	ND	0.002	0.0526	0.0500	105	50 - 150	
Methomyl	ND	0.002	0.0548	0.0500	110	50 - 150	
MGK-264	ND	0.002	0.0573	0.0500	115	50 - 150	
Myclobutanil	ND	0.002	0.0529	0.0500	106	50 - 150	
Naled	ND	0.002	0.0521	0.0500	104	50 - 150	
0xamy1	ND	0.002	0.0520	0.0500	104	50 - 150	
Paclobutrazol	ND	0.002	0.0561	0.0500	112	50 - 150	
Permethrins	ND	0.002	0.0516	0.0500	103	50 - 150	
Phosmet	ND	0.002	0.0455	0.0500	91.0	50 - 150	
Piperonyl Butoxide	ND	0.002	0.0441	0.0500	88.1	50 - 150	
Prallethrin	ND	0.002	0.0559	0.0500	112	50 - 150	
Propiconazole	ND	0.002	0.0540	0.0500	108	50 - 150	
Propoxur	ND	0.002	0.0548	0.0500	110	50 - 150	
Pyrethrins	ND	0.002	0.0512	0.0500	102	50 - 150	
Pyridaben	ND	0.002	0.0456	0.0500	91.2	50 - 150	
Spinosad	ND	0.002	0.0495	0.0500	99.0	50 - 150	
Spiromesifen	ND	0.002	0.0543	0.0500	109	50 - 150	
Spirotetramat	ND	0.002	0.0531	0.0500	106	50 - 150	
Spiroxamine	ND	0.002	0.0566	0.0500	113	50 - 150	
Tebuconazole	ND	0.002	0.0543	0.0500	109	50 - 150	
Thiacloprid	ND	0.002	0.0423	0.0500	84.6	50 - 150	
Thiamethoxam	ND	0.002	0.0524	0.0500	105	50 - 150	
Trifloxystrobin	ND	0.002	0.0506	0.0500	101	50 - 150	



Danodan Hempworks 6019 NE MLK JR. BLVD. PORTLAND, OR 97217 (503) 290-4079 Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021

Report ID: LS-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Residual Solvents
Sample Data

Solvents Analysis Date: 7/2/2021 Solvents Batch ID: RES 070121A Method: EPA 5021A Unit: μg/g (ppm) Pass 🕢

Analyte	FZX-JDG-ZDZ	HMT-BHF-XDZ	RPD (%)	Limits	LOQ	Notes	Status
1,4-Dioxane	ND	ND	0.00	380.0	50.0		Pass
2-Butanol	ND	ND	0.00	5000.0	250.0		Pass
2-Ethoxyethanol	ND	ND	0.00	160.0	50.0		Pass
Acetone	ND	ND	0.00	5000.0	250.0		Pass
Acetonitrile	ND	ND	0.00	410.0	50.0		Pass
Benzene	ND	ND	0.00	2.0	2.0		Pass
Butanes	ND	ND	0.00	5000.0	250.0		Pass
Cumene	ND	ND	0.00	70.0	50.0		Pass
Cyclohexane	ND	ND	0.00	3880.0	50.0		Pass
Ethyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Ethyl Ether	ND	ND	0.00	5000.0	250.0		Pass
Ethylene Glycol	ND	ND	0.00	620.0	250.0		Pass
Ethylene Oxide	ND	ND	0.00	50.0	50.0		Pass
Heptane	ND	ND	0.00	5000.0	250.0		Pass
Hexanes	ND	ND	0.00	290.0	50.0		Pass
Isopropanol (2-Propanol)	ND	ND	0.00	5000.0	50.0		Pass
Isopropyl Acetate	ND	ND	0.00	5000.0	250.0		Pass
Methanol	<l0q< td=""><td><l0q< td=""><td>0.00</td><td>3000.0</td><td>250.0</td><td></td><td>Pass</td></l0q<></td></l0q<>	<l0q< td=""><td>0.00</td><td>3000.0</td><td>250.0</td><td></td><td>Pass</td></l0q<>	0.00	3000.0	250.0		Pass
Dichloromethane	ND	ND	0.00	600.0	50.0		Pass
Pentanes	ND	ND	0.00	5000.0	250.0		Pass
Propane	ND	ND	0.00	5000.0	250.0		Pass
Tetrahydrofuran	ND	ND	0.00	720.0	50.0		Pass
Toluene	ND	ND	0.00	890.0	50.0		Pass
Xylenes	ND	ND	0.00	2170.0	50.0		Pass





Danodan Hempworks 6019 NE MLK JR. BLVD. PORTLAND, OR 97217 (503) 290-4079 Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021

Report ID: LS-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Residual Solvents
Quality Control Data

Solvents QC Analysis Date: 7/2/2021 Solvents QC Batch ID: RES 070121A Method: EPA 5021A Unit: μg/g (ppm)

Analyte	Blank	LOQ	LCS	LCS Spike	LCS Rec (%)	Limits (%)	Notes
1,4-Dioxane	ND	50.0	1130	1000	113	70 - 130	
2-Butanol	ND	250.0	1010	1000	101	70 - 130	
2-Ethoxyethanol	ND	50.0	1090	1000	109	70 - 130	
Acetone	ND	250.0	1150	1000	115	70 - 130	
Acetonitrile	<l0q< td=""><td>50.0</td><td>1040</td><td>1000</td><td>104</td><td>70 - 130</td><td></td></l0q<>	50.0	1040	1000	104	70 - 130	
Benzene	ND	2.0	22.8	20.0	114	70 - 130	
Butanes	ND	250.0	1930	2000	96.6	70 - 130	
Cumene	ND	50.0	1220	1000	122	70 - 130	
Cyclohexane	ND	50.0	1090	1000	109	70 - 130	
Ethyl Acetate	ND	250.0	1020	1000	102	70 - 130	
Ethyl Ether	ND	250.0	1110	1000	111	70 - 130	
Ethylene Glycol	ND	250.0	1090	1000	109	70 - 130	
Ethylene Oxide	ND	50.0	1050	1000	105	70 - 130	
Heptane	ND	250.0	957	1000	95.7	70 - 130	
Hexanes	ND	50.0	5480	5000	110	70 - 130	
Isopropanol (2-Propanol)	<l0q< td=""><td>50.0</td><td>1050</td><td>1000</td><td>105</td><td>70 - 130</td><td></td></l0q<>	50.0	1050	1000	105	70 - 130	
Isopropyl Acetate	ND	250.0	1020	1000	102	70 - 130	
Methanol	<l0q< td=""><td>250.0</td><td>1080</td><td>1000</td><td>108</td><td>70 - 130</td><td></td></l0q<>	250.0	1080	1000	108	70 - 130	
Dichloromethane	ND	50.0	1110	1000	111	70 - 130	
Pentanes	ND	250.0	3380	3000	113	70 - 130	
Propane	ND	250.0	712	1000	71.2	70 - 130	
Tetrahydrofuran	ND	50.0	1000	1000	100	70 - 130	
Toluene	ND	50.0	1120	1000	112	70 - 130	
Xylenes	ND	50.0	4590	4000	115	70 - 130	



Danodan Hempworks 6019 NE MLK JR. BLVD. PORTLAND, OR 97217 (503) 290-4079 Sample Type: Tinctures Sample Date: 6/30/2021 Analysis Date: 7/1/2021 Report Date: 7/7/2021 Client ID: PST-XNW ODA: AG-R1058177IHH Metrc Batch ID:

Metrc Sample ID:

Harvest/Process Date: 6/29/2021

Report ID: LS-210707-6

Sample Plan: ZN-ZN-JM-NN_20210630_3C

Sample Procedure: 160721_LAB-SOP_SampleCollection-v010

Qualifier Flag Descriptions

J	Reported result is an estimate - the value is less than the minimum calibration level but greater than the estimated detection limit (EDL)
U	The analyte was not detected in the sample at the estimated detection limit (EDL)
E	Exceeds calibration range
D	Dilution data - result was obtained from the analysis of a dilution
В	Analyte found in sample and associated blank
С	Co-eluting compound
R	Relative Percent Difference (RPD) outside control limits
NR	Analyte not reported because of problems in sample preparation or analysis
ND	Non-Detect
X	Results from reinjection/repeat/re-column data
EMC	Estimated maximum possible concentration - indicates that a peak is detected but did not meet the method required criteria
М	Manual integration
PS	Peaks split
НВ	Control acceptance criteria are exceeded high and the associated sample is below the detection limit
LB	Control acceptance criteria are exceeded low and the associated sample exceeds the regulatory limit
ME	Marginal Exceedance
LR	Low Recovery Analyte
LOQ	Limit of Quantitation