



Customer: The Calmer Co.
United States of America (USA)

Product identity: F-002 (Calm 1oz Tincture - Organic CBD for Stress)

Material: Cannabinoid Tincture

Laboratory ID: 26-003200-0004

Evidence of Cooling: No

Temp: 20.8 °C

Lot #: Calm-07 - APR 26

Serving Size #1: 1 ml

Density (as Provided): 1 g/ml

Sample Results

Potency		Method: J AOAC 2015 V98-6 (mod) ^b			Batch: 2602088		Analyzed: 03/17/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1			
					Result	Units	LOQ	
CBC	0.0417	%	0.0031		0.417	mg/1ml	0.0310	
CBC-A	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
CBC-Total	0.0417	%	0.0058		0.417	mg/1ml	0.0582	
CBD [±]	0.958	%	0.0310		9.6	mg/1ml	0.310	
CBD-A [±]	0.00466	%	0.0031		0.0466	mg/1ml	0.0310	
CBD-Total [±]	0.962	%	0.0337		9.6	mg/1ml	0.337	
CBDV	0.00844	%	0.0031		0.0844	mg/1ml	0.0310	
CBDV-A	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
CBDV-Total	0.00844	%	0.0058		0.0844	mg/1ml	0.0579	
CBE	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
CBG	0.0223	%	0.0031		0.223	mg/1ml	0.0310	
CBG-A	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
CBG-Total	0.0223	%	0.0058		0.223	mg/1ml	0.0579	
CBL	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
CBL-A	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
CBL-Total	< LOQ	%	0.0058		< LOQ	mg/1ml	0.0582	
CBN	0.00826	%	0.0031		0.0826	mg/1ml	0.0310	
CBT	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ10-THC-9R	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ10-THC-9S	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ10-THC-Total	< LOQ	%	0.0062		< LOQ	mg/1ml	0.0620	
Δ8-THC [±]	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ8-THCV	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ9-THC [±]	0.0149	%	0.0031		0.149	mg/1ml	0.0310	
Δ9-THC-A [±]	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ9-THC-Total [±]	0.0149	%	0.0058		0.149	mg/1ml	0.0582	
Δ9-THCP	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ9-THCV	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ9-THCV-A	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Δ9-THCV-Total	< LOQ	%	0.0058		< LOQ	mg/1ml	0.0579	
exo-THC	< LOQ	%	0.0031		< LOQ	mg/1ml	0.0310	
Total Cannabinoids	1.06	%			10.6	mg/1ml		



Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2602039	03/19/26 AOAC 990.12 (Petrifilm)		
E.coli	< LOQ		cfu/g	10	2602037	03/19/26 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2602037	03/19/26 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2602038	03/20/26 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2602038	03/20/26 AOAC 2014.05 (RAPID)		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-003200/D003.R000
Report Date: 03/23/2026
ORELAP#: OR100028
Received: 03/16/26 09:30



Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = µg/g divided by 10,000

cfu/g = Colony forming units per gram

% = Percentage of sample

mg/1ml = Milligram per 1ml

Approved Signatory

Derrick Tanner
General Manager





12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-003200/D003.R000
Report Date: 03/23/2026
ORELAP#: OR100028
Received: 03/16/26 09:30



**Hemp & Cannabis
Chain of Custody**

**The-Calmer-
Co-1773036005**

							Testing	
Company Details Company: The Calmer Co (Passkey: Danodan2026) Contact: Bryan Santillan Street Address: 96 Victoria St Region: undefined Email: bryan@thecalmerco.com Email, CC: matt@thecalmerco.com Contact Phone: +639241021629 Company Phone: 61429210031			Project Details Turnaround Time: 5 Business Days Req. For Micro Testing Standard Compliance: OLCC Compliance - Cannabis Relinquishment Sampling, Courier & Shipping Options: By Shipping Service (USPS, UPS, Fedex) License Type: OLCC License #: AG-R10581771HH Project Name / ID: Products Retesting Additional Comments for Project: Products for retesting to extend shelf-life and COA				H0010 - Potency Cannabis (Basic+Expanded) M1010 - Micro Profile D	
Billing Information Billing Phone: 13107176953 Billing Email: USAaccounts@thecalmerco.com			Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves					
#	Sample Name	Lot Additional Sample ID	Material	Amount Provided	Reporting Unit	Additional Test Requests and Sample Comments		
1	OGPET-1 (Organic Hemp Flower Infusion CBD For Pets)	TB-54 - MAR 26	Hemp Flower	30 ml	mg/mL	Shelf-life or Use By Date Extension	✓	✓
2	F-005 (Sleep 1oz - CBD Tincture For Sleep)	Sleep-07 - APR 26	Cannabinoid Tincture	30 ml	mg/mL	Shelf-life or Use By Date Extension	✓	✓
3	F-003 (Energy - Organic CBD For Energy Tincture)	Energy-04 - OCT 25	Cannabinoid Tincture	30 ml	mg/mL	Shelf-life or Use By Date Extension	✓	✓
4	F-002 (Calm 1oz Tincture - Organic CBD for Stress)	Calm-07 - APR 26	Cannabinoid Tincture	30 ml	mg/mL	Shelf-life or Use By Date Extension	✓	✓
5	T-002 (Topical Muscle & Joint CBD Salve Stick)	DD-MJ-1123 - JUL 25	Cannabinoid Topical	70.96 ml	mg/mL	Shelf-life or Use By Date Extension	✓	✓

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Bryan Santillan</i>	<i>03/09/2026</i>	<i>00:39</i>	<i>cm</i>	<i>03/16/2026</i>	<i>09:30</i>	<i>20.80</i>	<i>CL-0494</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@tentamus.com

Page 1 of 1
www.columbialaboratories.com



Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

AOAC 2015 V98-6 **Batch ID: 2602088**

Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0327	0.0306	%	107	80.0 - 120	Acceptable	
CBDV	2	0.0312	0.0297	%	105	80.0 - 120	Acceptable	
CBE	2	0.0343	0.0326	%	105	80.0 - 120	Acceptable	
CBDA	1	0.0316	0.0311	%	101	90.0 - 110	Acceptable	
CBGA	1	0.0325	0.0323	%	101	80.0 - 120	Acceptable	
CBG	1	0.0306	0.0309	%	98.8	80.0 - 120	Acceptable	
CBD	1	0.0294	0.0298	%	98.7	90.0 - 110	Acceptable	
THCV	2	0.0317	0.0301	%	105	80.0 - 120	Acceptable	
d8THCV	2	0.0328	0.0315	%	104	80.0 - 120	Acceptable	
THCVA	2	0.0362	0.0313	%	116	80.0 - 120	Acceptable	
CBN	1	0.0301	0.0304	%	99.3	80.0 - 120	Acceptable	
exo-THC	2	0.0294	0.0284	%	104	80.0 - 120	Acceptable	
d9THC	1	0.0312	0.0310	%	101	90.0 - 110	Acceptable	
d8THC	1	0.0294	0.0314	%	93.7	90.0 - 110	Acceptable	
9S-d10THC	1	0.0326	0.0332	%	98.1	80.0 - 120	Acceptable	
CBL	2	0.0325	0.0312	%	104	80.0 - 120	Acceptable	
9S-HHC	3	0.0273	0.0275	%	99.3	80.0 - 120	Acceptable	
9R-d10THC	1	0.0342	0.0355	%	96.5	80.0 - 120	Acceptable	
CBC	2	0.0316	0.0306	%	103	80.0 - 120	Acceptable	
9R-HHC	3	0.0278	0.0290	%	95.7	80.0 - 120	Acceptable	
THCA	1	0.0300	0.0308	%	97.3	90.0 - 110	Acceptable	
CBCA	2	0.0342	0.0320	%	107	80.0 - 120	Acceptable	
CBLA	2	0.0340	0.0317	%	107	80.0 - 120	Acceptable	
d9THCP	2	0.0332	0.0324	%	102	80.0 - 120	Acceptable	
d8THCO	3	0.0280	0.0288	%	97.3	80.0 - 120	Acceptable	
CBT	2	0.0271	0.0281	%	96.5	80.0 - 120	Acceptable	
d9THCO	3	0.0259	0.0266	%	97.4	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBDV	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBE	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBDA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBGA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBG	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBD	<LOQ	0.00320	%	< 0.00320	Acceptable	
THCV	<LOQ	0.00320	%	< 0.00320	Acceptable	
d8THCV	<LOQ	0.00320	%	< 0.00320	Acceptable	
THCVA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBN	<LOQ	0.00320	%	< 0.00320	Acceptable	
exo-THC	<LOQ	0.00320	%	< 0.00320	Acceptable	
d9THC	<LOQ	0.00320	%	< 0.00320	Acceptable	
d8THC	<LOQ	0.00320	%	< 0.00320	Acceptable	
9S-d10THC	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBL	<LOQ	0.00320	%	< 0.00320	Acceptable	
9S-HHC	<LOQ	0.00320	%	< 0.00320	Acceptable	
9R-d10THC	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBC	<LOQ	0.00320	%	< 0.00320	Acceptable	
9R-HHC	<LOQ	0.00320	%	< 0.00320	Acceptable	
THCA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBCA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBLA	<LOQ	0.00320	%	< 0.00320	Acceptable	
d9THCP	<LOQ	0.00320	%	< 0.00320	Acceptable	
d8THCO	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBT	<LOQ	0.00320	%	< 0.00320	Acceptable	
d9THCO	<LOQ	0.00320	%	< 0.00320	Acceptable	

Abbreviations

ND - None Detected at or above MRI



Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

AOAC 2015 V98-6		Batch ID: 2602088						
Sample Duplicate		Sample ID: 26-002982-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBDV	0.0614	0.0601	0.00317	%	2.23	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBDA	0.00938	0.00949	0.00317	%	1.22	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBG	0.406	0.401	0.00317	%	1.16	< 20	Acceptable	
CBD	11.5	11.1	0.00317	%	3.27	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBN	0.0586	0.0583	0.00317	%	0.458	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
d9THC	1.04	1.06	0.00317	%	2.33	< 10	Acceptable	
d8THC	0.0103	0.0100	0.00317	%	2.86	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
9S-HHC	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBC	0.206	0.205	0.00317	%	0.160	< 20	Acceptable	
9R-HHC	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00317	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
d8THCO	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	
CBT	0.141	0.139	0.00317	%	1.38	< 20	Acceptable	
d9THCO	<LOQ	<LOQ	0.00317	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent